# **DUETRADE** for the builder

# TIMBER CONNECTORS Product Guide



The builder's first choice.

#### About VUETRADE

VUETRADE delivers Innovative, Quality and Timesaving Timber Connectors & Building Materials to the building industry. VUETRADE products are developed and distributed across Australia and New Zealand by Bellevue Group Australasia, a wholly Australian owned manufacturer and supplier with many years' experience in the building industry. Bellevue Group Australasia | VUETRADE have a solid history and reputation for providing quality service and products. Our understanding and providing for our customer's needs comes from a long association with the building industry, and a network of retail and trade outlets stocking our range of products.

We strive to have as many products as possible made in Australia and New Zealand. This commitment is born of two logics; we have a belief in the quality of product made locally for Australia and New Zealand conditions, and a committal to supporting jobs here in the region.

#### **FREIGHT & DELIVERY**

We endeavour to provide same day despatch for all orders placed before 12:00 noon.

FIS ALL ORDERS OVER \$750.00

Orders below this value - \$50.00 Freight (Prices/ Order Value Excludes GST)

RESTOCKING FEE – 20% of invoice price

SPECIAL ORDERS – We do not provide returns on special orders, please check the detail of the order before placing it.

#### **QUALITY & COMPLIANCE**

VUETRADE products are tested in house for compliance, development, and quality control. We are commited to supplying quality products in full compliance with Australian and New Zealand standards.

#### **BECOME A PLATINUM PARTNER**

VUETRADE Platinum Partner Program is a reward to our customers for loyalty to our products. Benefits go beyond the benefits of stocking our products and include:

- Instore Signage
- Enhanced Marketing
- Timber Connectors Discount
- Website Enquiries directed to your store
- 1 FIS order of any value for those one off occasions.
- Store of the Month

See our website or the VUETRADE Platinum Partner Flyer for full details on this program.

#### **Timber Connector Icons**

To assist with proper product specification and use for different areas VUETRADE have developed a unique and easy to understand icon markings for our Timber Connectors range.

# G

#### G - Standard/Galvanised

- Internal/enclosed
- · Exterior/exposed inland areas except if in contact with fresh water or non-saline wetting & drying



#### **Rain Drop – Marine Environment**

- Marine Environment 100m up to 1km from a non-surf coast and from 1km up to 10km from a surf coast
- External applications in contact with freshwater or subject to non-saline wetting and drying (classed as Marine Environment as per AS 3700 - 2011: Section 5: Design for Durability)
- Minimum steel grade required Stainless Steel 304



#### Waves - Severe Marine

- Severe Marine 100m from a non-surf coast and up to 1km from a surf coast
- Minimum Steel Grade Stainless Steel 316
- No 'Tea Staining' a superficial 'rust' look that occurs on lower grades of Stainless Steel including 304.

#### Cyclonic

- · Products designed specifically for use in cyclonic regions
- Range includes both Galvanised and Stainless Steel options

Product sizes and box quantities may change without notice, please check our website for up to date information.

#### Australian Made

VUETRADE are very proud to offer a comprehensive range of Australian Made products. Working closely with Australian Made, VUETRADE are constantly looking to develop and increase the range available to our customers.

Supplying Australian Made products offers many benefits including:

- Product availability A heavy reliance on imports can lead to serious issues with inconsistent supply over the medium to long term. Turbulent world events can lead to external factors beyond control negatively affecting overseas supply. A healthy Australian Made product range ensures a regular supply of materials and product in stock.
- Quality Manufactuing in Australia allows for a better understanding of manufacturing processes and the quality control measures inplace during the process. Overseas manufacturers can find it difficult to comply with the relevant Australian standards.
- Supporting the Australian Economy At VUETRADE we want to do our part to support the Australian Economy and Aussie jobs. Increasing our Australian Made product range in the future will continue VUETRADE's goal of growing helping to drive the economy forward.



#### **Environmental Focus**

### billion tonnes of carbon?

At VUETRADE we are focused on doing our part to help drive positive change within the manufacturing and construction sectors. Through our dedication to providing innovative new products offering process improvement and increased efficiency for timber frame construction methods, we can support the use of sustainable forest management practices which generate the largest climate change mitigation benefits possible within manufacturing and construction.

Australia has around 134 million hectares of forest that clean our air and supply wood for our timber building products. Wood products also connect us to nature, making us feel happier and more relaxed.

Trees also have the incredible ability to:

- Produce the oxygen that we breathe
- Regenerate and regrow
- the tree
- products

Nature provides us with a sophisticated alternative to other materials that use more carbon in their production. The forestry industry in Australia is sustainable, making wood truly the ultimate renewable resource. With the use of VUETRADE connectors, timbers can quickly and securely be joined together to create a carbon positive building system that becomes a Home of the future!

# The builder's first choice.



#### Did you know that Australia's native and plantation forests store around 22

· Absorb carbon dioxide from the atmosphere and store this within the fiber of

• Store carbon when used in buildings, furniture, or other long-lasting wood

# **VUETRADE Product Guide**



CYCLONIC RANGE

# Bracing & Tensioners .....6

**Category Contents** 

Framing Connectors
Building Brackets
Post Supports
Ant Caps 39
Masonry Ties40
Vents
VUEBOLT

1300 850 520

POST SUPPORTS

**G** pg 29 **D 2** pg 60

vuetrade.com

VUEBOLT

**G** pg 48

MASONRY TIES AND VENTS

**G** pg 40 **b 2** pg 70

sales@bellevuegroup.com.au

BUILDING BRACKETS

**G** pg 22 **D 2** pg 52



CoastalSS50
SS Bracing52
SS Framing Connectors
SS Building Brackets
SS Post Supports 60
SS Cyclonic & Ant Caps
SS Masonry Ties 70
SS Vents
Cyclonic Range 73

8.6 kN

8.6 kN

8.6 kN

11.2 kN

11.2 kN

<b>VUE</b> <i>TRADE</i>					
Product G	uide				
VUEBRA	CE Punched	Builder	's Stro	apping	
beralan made	VUCERACE DUDING TO A CONTRACT OF CONTRACT	nsion bracing i pors. Suits VUESMART Galvanised finish Australian Made Aussie jobs Engineered to co structural wall br	Brace Tensione for durability ar - High quality, p mply with AS168 acing		
Product Code	Size	kN Capacity	Plt Qty	Barcod	

30mm x 1.0mm x 15mt

30mm x 1.0mm x 30mt

30mm x 1.0mm x 50mt

30mm x 1.2mm x 30mt

30mm x 1.2mm x 50mt

VB3086

VB30815

VB30830

VB30850

VB3016

VB30115

VB30130

VB30150

VB301230

VB301250

#### RACE Punched Builder's Strapping is a galvanised n bracing ideal for bracing roofs, walls, ceilings and

- **VUESMART Brace Tensioner**
- anised finish for durability and long-life
- ralian Made High quality, peace of mind, and supporting ie jobs
- neered to comply with AS1684.2-2021 and AS1684.3-2021 for tural wall bracing

Size	kN Capacity	Plt Qty	Barcode
30mm x 0.8mm x 6mt	6.3 kN	360	9 341741 003518
30mm x 0.8mm x 15mt	6.3 kN	360	9 341741 003495
30mm x 0.8mm x 30mt	6.3 kN	200	9 341741 002719
30mm x 0.8mm x 50mt	6.3 kN	112	9 341741 003501
30mm x 1.0mm x 6mt	8.6 kN	360	

360

150

96

128

72

# **VUETRADE**

**Product Guide** 

# **VUEBRACE Light Duty Strapping**



VUEBRACE Light Duty Strapping is a galvanised tension bracing for use in light duty applications where there are no heavy loads or wind uplifts to bear.

- Suitable for light duty applications
- Two sizes available:
- 25mm wide x 0.8mm thickness • Available in 6m, 15m and 30m Coils
- · Galvanised finish for durability and long-life
- Aussie jobs

Warning: 25mm x 0.6mm and 25mm x 0.8mm Strapping is categorised as Light Duty Strapping and should not be used in load bearing or structural applications affected by wind uplift.

Product Code	Size	Plt Qty	Barcode
VB2566	25mm x 0.6mm x 6mt	360	9 341741 003464
VB25615	25mm x 0.6mm x 15mt	360	9 341741 003440
VB25630	25mm x 0.6mm x 30mt	200	9 341741 003457
VB25815	25mm x 0.8mm x 15mt	360	9 341741 003471
VB25830	25mm x 0.8mm x 30mt	200	9 341741 003488

6

Suits VUESMART Brace Tensioner

- 25mm wide x 0.6mm thickness
- Australian Made High quality, peace of mind, and supporting

# 

#### **Product Guide**

# **VUEBRACE** Punched Builder's Strapping Strips



VUEBRACE Punched Builder's Strapping Strips are a galvanised tension bracing used to brace roofs, walls, ceilings and floors, supplied in pre-cut lengths for your convenience.

- Pre-punched and pre-cut
- Suits VUESMART Brace Tensioner
- Sizing:
  - 30mm wide
  - 0.8mm or 1.0mm thick
- 3.6m Lengths Galvanised finish for durability and long-life
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Product Code	Size	Pack Qty	Individual Barcode	Carton Barcode
VB308315	30mm x 0.8mm x 3.15mt	500	N/A	N/A
VB301315	30mm x 1.0mm x 3.15mt	500	N/A	N/A
VB30836	30mm x 0.8mm x 3.6mt	500	9 341741 015207	9 341741 015207
VB30136	30mm x 1.0mm x 3.6mt	500	9 341741 015191	9 341741 015191
VB30842	30mm x 0.8mm x 4.2mt	500	N/A	N/A
VB30142	30mm x 1.0mm x 4.2mt	500	N/A	N/A

# 

**Product Guide** 

# **VUEBRACE** Unpunched Builder's Strapping



pergola construction.

- Ideal for exposed bracing better looking Stronger without pre-punched holes
- Galvanised finish for durability and long-life • Australian Made - High quality, peace of mind, and supporting Aussie jobs

Product Code	Size	Box Qty	Barcode
VB30830UP	30mm x 0.8mm x 30mt	1	9 341741 014965
VB301230UP	30mm x 1.2mm x 30mt	1	9 341741 013869
VB301250UP	30mm x 1.2mm x 50mt	1	9 341741 018604
VB321230UP	32mm x 1.2mm x 30mt	1	9 341741 014613
VB321250UP	32mm x 1.2mm x 50mt	1	9 341741 014620

### **VUESMART Strap Brace Tensioners**

time changing bits

Product Code	Product Code Unit		Indi
VUESMART	Pack of 6	25	9 3
VUESMARTBULK	Bulk Box; 15 packs of 10	150	9

C

#### VUEBRACE Unpunched Builder's Strapping is a galvanised tension bracing without pre-punched holes, suitable for general bracing and strapping, including in carport and

# S BRACING & TENSIONER

9

VUESMART Brace Tensioners are used to quickly and easily tension VUEBRACE Punched Builder's Strapping after it has been installed on wall or roof framing.


6 PACK

**Bonus** 

5/16 hex

drive include

- Tensions your bracing in 3 seconds! • Bolt with Phillips & Hex drive - saves
- Anti-Slip Notch to prevent slipping or spinning • Bolt has a tapered underside head
- Australian Made High quality, peace of mind, and supporting Aussie jobs



**GALVANISED** 

10



### **Product Guide**

### **Angle Brace**



#### VUETRADE Angle Brace are punched, rigid bracings suitable for timber framed walls.

- Quick nailing with pre-punched holes
- Rigid bracing no need to tension
- Sized at 20mm x 18mm x 1.0mm
- Available in 3.6m, 4.2m and 4.8m lengths · Galvanised finish for durability and long-life
- Made in Australia good quality

Product Code	Size	Pack Qty	Barcode
ANGLE36250	3.6m	250	N/A
ANGLE36500	3.6m	500	N/A
ANGLE42250	4.2m	250	N/A
ANGLE42500	4.2m	500	N/A
ANGLE48250	4.8m	250	N/A
ANGLE48500	4.8m	500	N/A

**Product Guide** 

#### **VUEBRACE Speed Brace**



• Sized at 20mm x 20mm x 1.0mm • Available in 4.0m, 5.0m and 6.0m lengths • Galvanised finish for durability and long-life • Australian Made - High quality, peace of mind, and supporting

Aussie jobs

Product Code	Size	Pack Qty	Barcode
SPEED4300	4.0m	300	N/A
SPEED4600	4.0m	600	N/A
SPEED5300	5.0m	300	N/A
SPEED5600	5.0m	600	N/A
SPEED6300	6.0m	300	N/A
SPEED6600	6.0m	600	N/A

# VUETRADE Speed Brace is a pre-punched rigid bracing primarily used for top chord roof truss bracing in accordance with installation of nail-plated timber roof trusses standard AS4440-2004.

11

12	
	Product Guide

#### **Joist Hangers**



VUETRADE Joist Hangers are fast fixing, multi-purpose hangers for connecting joists to beams, trusses to beams, and roof trusses to girders.

- Unique Nail Spike Feature removes hassle when positioning, no need to hold a nail and the hanger in position while you hammer!
- Meets and exceeds Australian Standard AS1720
- Galvanised finish for durability and long-life
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails into timber members and ensure to install them through pre-bored holes.

Also available in 🔁 Stainless Steel. See page 52.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH3590	35mm x 90mm	45	9 34 174 1 00305 1	9 341741 004065
VJH35120	35mm x 120mm	30	9 341741 003068	9 341741 004072
VJH35140	35mm x 140mm	30	9 341741 003075	9 341741 004089
VJH35180	35mm x 180mm	30	9 341741 003082	9 341741 004096
VJH3890	38mm x 90mm	45	9 341741 003099	9 341741 004102
VJH38120	38mm x 120mm	30	9 341741 003105	9 341741 004119
VJH38140	38mm x 140mm	30	9 341741 003112	9 341741 004126
VJH38180	38mm x 180mm	30	9 341741 003129	9 341741 004133
VJH4590	45mm x 90mm	45	9 341741 003136	9 341741 004140
VJH45120	45mm x 120mm	30	9 341741 003143	9 341741 004157
VJH45140	45mm x 140mm	30	9 341741 003150	9 341741 004164
VJH45180	45mm x 180mm	30	9 341741 003167	9 341741 004171

# **VUETRADE Product Guide**

#### Joist Hangers Cont.

Product Code	Size	Box Qty	Inc
VJH45220	45mm x 220mm	20	9 3
VJH5090	50mm x 90mm	45	9 13
VJH50120	50mm x 120mm	30	9 3
VJH50140	50mm x 140mm	30	9 3
VJH50180	50mm x 180mm	30	9 3
VJH50220	50mm x 220mm	20	9 3
VJH58180	58mm x 180mm	30	9 3

### **Split Joist Hangers**



- Suitable for wide joists

- Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails into timber members and ensure to install them through pre-bored holes.

Product Code	Size	Box Qty	Ind
VSJH120	120mm	30	9 32
VSJH140	140mm	30	9 3/
VSJH180	180mm	30	9 32
VSJH220	220mm	20	9 32

1300 850 520

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

**GALVANISED** 


All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

1300 850 520

vuetrade.com



FRAMING CONNECTORS



#### VUETRADE Split Joist Hangers are fast fixing, multi-purpose hangers for joist, beam and truss connections where timber is over the width of 50mm.


• Unique Nail Spike Feature - no hassle when positioning, because the hanger stays in position while you hammer!

Meets & exceeds Australian Standard AS1720

• Galvanised finish for durability and long-life

• Australian Made - High quality, peace of mind, and supporting


Also available in 🔁 Stainless Steel. See page 54.



14

# **Product Guide**

#### **I-Beam Hangers**



VUETRADE I-Beam Hangers are multi-purpose hanger brackets for securely connecting I-beams and large joists to framing structures.

- Easy to install
- Strong, secure support
- Suitable for use with a wide range of I-beams, and rough sawn timber sizes
- Meets and exceeds Australian Standard AS1720
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 33mm x 3.15mm VUETRADE hot-dipped galvanised connector plate nails into timber members. Ensure the pre-bored holes are used for installation.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VIBHF40240	40mm x 240mm	20	9 <sup>1</sup> 341741 021666	9 341741 021673
VIBHF40300	40mm x 300mm	20	9 <sup>3</sup> 41741 021680	9 341741 021697
VIBHF45200	45mm x 200mm	20	9 341741 021727	9 341741 021734
VIBHF45240	45mm x 240mm	20	9 341741 021741	9 341741 021758
VIBHF45300	45mm x 300mm	20	9 341741 021765	9 341741 021772
VIBHF51240	51mm x 240mm	20	9 341741 021789	9 341741 021796
VIBHF51300	51mm x 300mm	20	9 341741 021802	9 341741 021819
VIBHF63200	63mm x 200mm	20	9 341741 021840	9 341741 021857
VIBHF63240	63mm x 240mm	20	9 341741 021864	9 341741 021871
VIBHF63300	63mm x 300mm	20	9 <sup>3</sup> 41741 021888	9 341741 021895

# **VUETRADE Product Guide**

#### I-Beam Hangers Cont.

Product Code	Size	Box Qty	Inc
VIBHF70240	70mm x 240mm	20	9 3
VIBHF70300	70mm x 300mm	20	9 3
VIBHF90200	90mm x 200mm	20	9 3
VIBHF90240	90mm x 240mm	20	9 3
VIBHF90300	90mm x 300mm	20	9 3
VIBHF90360	90mm x 360mm	20	9 3
VIBHF90400	90mm x 400mm	20	9 3

#### **Triple Grips**

**Product Code** 




- Ideal for 90-degree joints • To be hand-fixed with nails
- Available in right hand and left hand profiles

Size	Box Qty	Ind
I FET HAND	100	

VTTGLH	LEFT HAND	100	9 34
VTTGRH	RIGHT HAND	100	9 34





VUETRADE Triple Grips are multipurpose galvanised building brackets ideal for many nail-fixed timber joints with perpendicular angles.

- · Galvanised finish for durability and long-life



Also available in 🔁 Stainless Steel. See page 54.



GALVANISED

	VTMG115	115mm	100	9 341741 003273	9 341741 00
	Joist S	itraps			
,	USTRALIAN MADĚ		<ul><li>fixing ceil</li><li>Saves tii</li><li>Galvanis</li></ul>	DE Joist Straps are easy t ing joists or rafters to har me with built-in nail spike ed finish for durability and lou an Made - High quality, peace obs	n <b>ging beams.</b> ng-life

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

150

	Aussie jo Also availa	bs Ible in 🔁 Stainless Steel. Se	e page 55.
Size	Box Qty	Individual Barcode	Carto
57mm	200		

• Versatile - many applications



# **Multi Grips**



#### VUETRADE Galvanised Multi Grips are versatile, costeffective brackets used for right angle joints in timber framing.

- Adaptable to many applications simply bend the bracket!
- Suitable for framing application in accordance with AS1684.2 and AS1684.3

VUETRADE Galvanised Mini Grips are multipurpose timber

framing brackets ideal for joining timber at right angles.

• Australian Made - High quality, peace of mind, and supporting

• Economical connector for more lightly loaded joints

Galvanised finish for durability and long-life

- Galvanised finish for durability and long-life
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Also available in 🔁 Stainless Steel. See page 55.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG100	100mm	200	9 341741 003266	9 341741 004270
VTMG115	115mm	100	9 341741 003273	9 341741 004287

#### rs ideal for

porting

**Carton Barcode** 

ア	V	JE7	R/
Pro	duct	Guide	

### **Heavy Duty Joist Straps**



Product Code	Size	Description	Box Qty	Ind
VTHDJL	31mm x 170mm	LEFT HAND	200	9 3
VTHDJR	31mm x 170mm	RIGHT HAND	200	9 3

# **Cyclone Straps**

#### VUETRADE Cyclone Straps are tie-downs ideal for cyclonic and high wind areas.

G

Product Code	Size	Box Qty	Inc
VTCS400	400mm	100	9 3
VTCS600	600mm	100	9 3
VTCS900	900mm	100	9 3



G

**Product Code** 

VTJS150

16 **Product Guide** 

### **Mini Grips**

1

G

**Product Code** 

VTMG57


Size

175mm LONG


FRAMING CONNECTORS

#### VUETRADE Heavy Duty Joist Straps are brackets used in load-bearing timber framing applications such as connecting

- Ideal for wind uplift and load-bearing applications



- Used to tie down purlins and trusses • Ideal for cyclonic and high wind areas • Available in 400mm, 600mm and 900mm lengths • Galvanised finish for durability and long-life
- Suitable for Cyclonic installations



VTSTRH	240mm x 60mm x 32mm	Single Sided Right Hand	75	9 "341741"014767"	9 "341741"0147
osul F	ix Faster	hers			

# **Insul Fix Fasteners**

VUETRADE Insul Fix Fasteners provide a strong and rip-free fixing for foil insulation.

- Designed for screws and nails
- Tear resistant and durable
- Supplied in convenient break-off strips of 10
- Galvanised finish for durability and long-life

Product code	Box Gry	Barcoue
F81006	500	N/A

Boy Ot

### 1300 850 520

**GALVANISED** 

18

# **Stud Ties**

**Product Guide** 

#### VUETRADE Stud Ties are easy install fasteners ideal for jointing top and bottom wall plates to studs. • Quick & easy to install – simply tap in spikes G • Suitable for high wind areas • Reliable and convenient fixing Galvanised finish for durability and long-life

### Ideal for fastening top and bottom wall plates to studs

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTST4U90	150mm x 90mm x 150mm	50	9 341741 003693	9 "341741"004584"

#### **Single Sided Stud Ties**

A BERN

G

VUETRADE Single Sided Stud Ties are brackets ideal for fastening top and bottom wall plates to studs in high wind areas.

- Fast and easy installation
- Right angle is folded, not pressed no 'springing back'
- Neat fit and side-grain fixing
- Galvanised finish for durability and long-life

Product Code	Size	Description	Box Qty	Individual Barcode	Carton Barcode
VTSTLH	240mm x 60mm x 32mm	Single Sided Left Hand	75	9 341741 014743	9 341741 014750
VTSTRH	240mm x 60mm x 32mm	Single Sided Right Hand	75	9 <sup>1</sup> 341741 <sup>1</sup> 014767	9 341741 014774

# **Product Guide**

#### **Strap Nails**



THE FULL PROPERTY OF THE

jointing of timber frames.

- Timesaving with built-in spikes

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSN2590	25mm x 90mm	100	9 341741 003594	9 341741 004485
VTSN5090	50mm x 90mm	100	9 341741 003600	9 341741 004492
VTSN7590	75mm x 90mm	100	9 341741 003617	9 341741 004508

#### **Foil Tacks**

#### and foil insulation.

- Supplied in box of 500

Product Code	Box Qty	Indivi
VTFT	500	9 3417

# ALLESSER. G



FRAMING CONNECTORS

#### VUETRADE Strap Nails are tap-in nail plates ideal for quick

• Twisted spike design for solid connections Galvanised finish for durability and long-life

### VUETRADE Foil Tacks are a non-tear fixing ideal for sheet

• Tear resistant – wide size and rounded edges

Twisted spikes – excellent holding power

Galvanised for corrosion resistance

· Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barc
VTIP45120	45mm x 120mm	100	9 "341741"003754"	9 341741 004
VTIP45180	45mm x 180mm	67	9 "341741"003761	9 341741 00
VTIP45240	45mm x 240mm	50	9 341741 003778	9 341741 004
VTIP7060	70mm x 60mm	100	9 341741 022533	9 341741 02
VTIP70120	70mm x 120mm	75	9 "341741"003785"	9 341741 004
VTIP70180	70mm x 180mm	50	9 "341741"003792"	9 341741 004
VTIP70240	70mm x 240mm	38	9 341741 003808	9 341741 004
VTIP70300	70mm x 300mm	30	9 "341741"003815"	9 341741 004
VTIP90120	90mm x 120mm	50	9 "341741"003822"	9 341741 004
VTIP90180	90mm x 180mm	34	9 "341741"003839	9 341741 004
VTIP90240	90mm x 240mm	25	9 341741 003846	9 341741 004
VTIP90300	90mm x 300mm	20	9 "341741"003853"	9 341741 004
VTIP130120	130mm x 120mm	30	9 "341741"022557	9 341741 023
VTIP130180	130mm x 180mm	20	9 "341741"022571"	9 341741 023

top plates.

Aussie jobs

# **VUETRADE**

**Product Guide** 

### Connector Plate Nails 30mm x 2.8mm

G

VUETRADE timber connector.

- 30mm x 2.8mm size
- 520 nails per kg

Product Code	Size	Barcode
VTCPNG3028500	500g	9 34 174 1 0 10 10 3
VTCPNG30282	2kg	9 "341741"010110"
VTCPNG30285	5kg	9 341741 010127

#### Connector Plate Nails - 33mm x 3.15mm



I-Beam Hangers.

- 33mm x 3.15mm size
- 430 nails per kg
- Available in 1kg packs

Product Code	Size
VTCPNG333151	1KG

### **Connector Plate Screws**



1300 850 520 vuetrade.com

20

**Product Guide** 

**Tap In Plates** 

1

G

sales@bellevuegroup.com.au

VUETRADE Tap In Plates are timesaving nail plates with built-in steel 'teeth', ideal for joining timber wall frames and

• Australian Made - High quality, peace of mind, and supporting

Timesaving – manufactured with built-in 'teeth'

Galvanised finish for durability and long-life

• Strong and secure connections

vuetrade.com

VUETRADE Connector Plate Nails are hot-dipped galvanised fixings specifically for fixing applications using any

Specially designed for VUETRADE Timber Connectors

• Available in 500g, 2kg and 5kg packs · Galvanised finish for durability and long-life

Also available in 🔁 Stainless Steel. See page 57.

#### VUETRADE Connector Plate Nails are hot-dipped galvanised fixings specifically for fixing applications using the VUETRADE

• Specially designed for VUETRADE I-Beam Hangers

Galvanised finish for durability and long-life





#### **Bearer Plates**

**VUE**TRADE 

VUETRADE Bearer Plates are a nail on plate timber connector suitable for joining timber, framework repair and reinforcement.

- Suitable for Heavy Duty connections
- 1.0mm thick steel for extra strength
- Available in 4 sizes
- Galvanised finish for durability and long-life

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails or equivalent into timber members and ensure to install them through pre-bored holes.

	lso available in	િ	Stainless Steel. See page 56	б.
--	------------------	---	------------------------------	----

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTBP80120	80mm x 120mm	100	9 341741 014637	9 <sup>1</sup> 341741 014644
VTBP80180	80mm x 180mm	100	9 341741 003747	9 "341741"004607"
VTBP80240	80mm x 240mm	50	9 341741 014651	9 "341741"014668"
VTBP80300	80mm x 300mm	50	9 341741 014675	9 341741 014682

Δ

# **Pergola Angles**

VUETRADE Pergola Angles are galvanised, multi-purpose building brackets ideal for connecting pergola rafters to beams.

- · Heavy duty brackets
- 1.6mm th
- Galvanis
- Aussie jo



**Product Guide** 

#### Internal Wall Brackets





### **Hold Down Brackets**



47mm x 2.0mm

# **Ultra Heavy Duty Angles**

VTHDB

#### VUETRADE Ultra Heavy Duty Angles are multi-purpose right-angled brackets ideal for framing staircases.

75

- Suitable for screw or bolt fixings
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings.

Product Code	Size	Box Qty	Individ
VTUHDA4040	40mm x 40mm x 230mm	40	9 3417

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684 1300 850 520

1300 850 520

vuetrade.com





- Australia



ox Qtv	Individual Barcode	
		c p

nick steel for extra strength	
ed finish for durability and long-life	
an Made - High quality, peace of mind, and supporting	
bs	

**BUILDING BRACKETS** 

#### VUETRADE Hold Down Brackets are galvanised building brackets typically used in the construction of wall studs and

- · Galvanised finish for durability and long-life
- Australian Made High quality, peace of mind, and supporting

Also available in 🔁 Stainless Steel. See page 58.



Suitable for framing stairs, shelves and corner supports

- 2.0mm thick steel for extra strength





24	<b>VUE</b> <i>TRADE</i>

#### Angle Brackets - Heavy Duty

# н

VUETRADE Angle Bracket Heavy Duty are multi-purpose right-angled brackets ideal for right angle applications.

- Suitable for connecting timbers at right angle in both internal or external conditions.
- Suitable for use with M10 bolts
- 3.0mm thick steel for extra strength
- Made from Mild Steel • Galvanised finish for durability and long-life
- Also available in 🔁 Stainless Steel. See page 59.

			1		
Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABHD01	40L x 60W x 60H x 3.0mm	M10	50	9 341741 019595	9 341741 019601
VABHD02	40L x 60W x 100H x 3.0mm	M10	50	9 341741 019618	9 341741 019625
VABHD03	40L x 100W x 100H x 3.0mm	M10	50	9 341741 019632	9 341741 019649
VABHD04	80L x 60W x 60H x 3.0mm	M10	50	9 341741 019656	9 341741 019663
VABHD05	80L x 60W x 100H x 3.0mm	M10	25	9 341741 019670	9 341741 019687
VABHD06	80L x 100W x 100H x 3.0mm	M10	25	9 341741 019694	9 341741 019700
VABHD07	120L x 60W x 60H x 3.0mm	M10	25	9 341741 019717	9 341741 019724
VABHD08	120L x 60W x 100H x 3.0mm	M10	25	9 341741 009879	9 341741 009886
VABHD09	120L x 100W x 100H x 3.0mm	M10	20	9 341741 019731	9 341741 019748
VABHD10	160L x 60W x 60H x 3.0mm	M10	25	9 341741 019755	9 341741 019762
VABHD11	160L x 60W x 100H x 3.0mm	M10	20	9 341741 019779	9 341741 019786
VABHD12	160L x 100L x 100W x 3.0mm	M10	20	9 341741 019793	9 341741 019809

# **VUETRADE Product Guide**

#### **Structural HDG Brackets**



connections.

- angle joins

- Made from Mild Steel • Available in a range of sizes

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABHS01G	75L x 75W x 75H x 6.0mm	M12	10	9 341741 005109	9 341741 005116
VABHS02G	100L x 100W x 100H x 6.0mm	M12	10	9 341741 005123	9 341741 005130
VABHS03G	185L x 100W x 100H x 6.0mm	M12	10	9 341741 005147	9 341741 005154
VABHS04G	250L x 100W x 100H x 6.0mm	M12	6	9 341741 005161	9 341741 005178
VABHS05G	150L x 100W x 100H x 8.0mm	M16	6	9 341741 005185	9 "341741"005192"
VABHS06G	200L x 100W x 100H x 8.0mm	M16	6	9 341741 005208	9 "341741" 005215"
VABHS07G	200L x 140W x 90H x 8.0mm	M16	6	9 341741 005222	9 341741 005239
VABHS08G	140L x 65W x 65H x 5.0mm	M12	10	9 341741 005246	9 341741 005253
VABHS09G	190L x 65W x 65H x 5.0mm	M12	10	9 341741 005260	9 341741 005277
VABHS10G	240L x 65W x 65H x 5.0mm	M12	10	9 341741 005284	9 341741 005291
VABHS11G	290L x 65W x 65H x 5.0mm	M12	10	9 341741 005307	9 341741 005314
VABHS12G	140L x 75W x 50H x 5.0mm Unequal	M12	10	9 341741 005321	9 "341741"005338"
VABHS13G	190L x 75W x 50H x 5.0mm Unequal	M12	10	9 341741 005345	9 341741 005352
VABHS14G	240L x 75W x 50H x 5.0mm Unequal	M12	10	9 341741 005369	9 341741 005376
VABHS15G	290L x 75W x 50H x 5.0mm Unequal	M12	10	9 341741 005383	9 341741 005390

G

#### VUETRADE Structural HDG Brackets are multi-purpose equal right-angled brackets ideal for structural capacity

• Suitable for variety of applications, internal and external at right

• Suitable for use with M12 or M16 bolts for high strength connection • 5.0, 6.0, or 8.0mm thick steel for extra strength

• Galvanised finish for durability and long-life



26	<b>VUE</b> <i>TRADE</i>

н

G

#### L Type HDG Brackets

VUETRADE L TYPE HDG Brackets are multi-purpose rightangled brackets.

- Suitable for heavy duty connection between timber and timber at right angle
- Suitable for bolt fixings Use only M10 or M12 bolts
- 5.0 or 6.5mm thick steel for extra strength
- Made from Mild Steel
- Available in a range of size
- Galvanised finish for durability and long-life

# **Product Guide**

### **Z Type HDG Brackets**



50mm x 105mm x 50mm x 5.0mm

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABL01G	40L x 40W x 40H x 5.0mm	M10	50	9 341741 019335	9 341741 019342
VABL02G	40L x 40W x 40H x 5.0mm	M12	50	9 341741 019359	9 341741 019366
VABL03G	50L x 50W x 50H x 5.0mm	M12	50	9 341741 019373	9 341741 019380
VABL04G	65L x 65W x 65H x 5.0mm	M12	25	9 341741 019397	9 341741 019403
VABL05G	75L x 90W x 90H x 6.5mm	M12	10	9 341741 019410	9 341741 019427
VABL06G	40L x 40W x 80H x 5.0mm	M12	50	9 341741 019434	9 341741 019441
VABL07G	50L x 50W x 100H x 5.0mm	M12	25	9 341741 019458	9 "341741"019465
VABL08G	65L x 65W x 130H x 5.0mm	M12	20	9 "341741"019472	9 341741 019489
VABL09G	75L x 90W x 150H x 6.5mm	M12	10	9 "341741" 019496	9 341741 019502
VABL10G	40L x 80W x 80H x 5.0mm	M12	25	9 341741 019519	9 341741 019526
VABL11G	50L x 100W x 100H x 5.0mm	M12	25	9 341741 019533	9 341741 019540
VABL12G	65L x 130W x 130H x 5.0mm	M12	10	9 341741 019557	9 341741 019564
VABL13G	75L x 150W x 150H x 6.5mm	M12	10	9 341741 019571	9 341741 019588

#### **Fascia Brackets**

G

VBZG

# connections.

25

- Heavy duty bracket • 6.5mm thick steel for extra strength • Choice of six angles options available
- G300 Z275 Zinc Galvanised finish for durability and long-life

Warning: Ensure your design complies with regulatory requirements, consultation with an engineer is recommended.

Product Code	Angle	Box Qty	Individual Barcode	Carton Barcode
VTHDFB05	5°	6	9 341741 011797	9 341741 011841
VTHDFB12	12°	6	9 341741 011803	9 "341741"011858
VTHDFB17	17°	6	9 341741 011810	9 341741 011865
VTHDFB22	22°	6	9 341741 009275	9 341741 009282
VTHDFB28	28°	6	9 341741 011827	9 341741 011872
VTHDFB35	35°	6	9 341741 011834	9 341741 011889



**BUILDING BRACKETS** 

#### VUETRADE Z TYPE HDG Brackets are multi-purpose Z-angled brackets ideal for tie-down applications.

• Suitable for variety of both Timber-Timber Connections and Tie-


• Galvanised finish for durability and long-life



#### VUETRADE Fascia Brackets are hot dipped galvanised angled brackets for secure fascia to rafter or truss



#### **Plates - Heavy Duty**



VUETRADE PLATES - Heavy Duty are designed to allow connection between flat timber faces.

- Suitable for a variety of Timber-Timber Connections where connection between one flat to another is required.
- Suitable for use with M10 bolts
- 3.0mm thick steel for extra strength
- Made from Mild Steel
- Galvanised finish for durability and long-life

Also available in C Stainless Steel. See page 59.

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VPHD120120	120mm x 120mm x 3.0mm	M10	25	9 341741 021444	9 341741 021451
VPHD120160	120mm x 160mm x 3.0mm	M10	25	9 341741 021468	9 341741 021475
VPHD12040	120mm x 40mm x 3.0mm	M10	50	9 341741 019816	9 341741 019823
VPHD12080	120mm x 80mm x 3.0mm	M10	25	9 341741 019878	9 341741 019885
VPHD160120	160mm x 120mm x 3.0mm	M10	25	9 341741 019939	9 341741 019946
VPHD160160	160mm x 160mm x 3.0mm	M10	25	9 341741 021482	9 341741 021499
VPHD16040	160mm x 40mm x 3.0mm	M10	50	9 341741 019830	9 341741 019847
VPHD16080	160mm x 80mm x 3.0mm	M10	25	9 341741 019892	9 341741 019908
VPHD200120	200mm x 120mm x 3.0mm	M10	20	9 341741 019953	9 341741 019960
VPHD200160	200mm x 160mm x 3.0mm	M10	15	9 341741 019977	9 341741 019984
VPHD20040	200mm x 40mm x 3.0mm	M10	50	9 341741 019854	9 341741 019861
VPHD20080	200mm x 80mm x 3.0mm	M10	25	9 341741 019915	9 341741 019922

# **VUETRADE Product Guide**

### **Full Stirrup Post Supports**

G

concrete.

- 4.0mm thick steel saddle
- Post Stirrup to suit from 90mm up to 150mm square posts Post Support Leg Sizes from 75mm to 600mm
- Bolt Holes
- 2 x M12 Bolt Holes (Saddle & Base)
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS7590	75mm x 90mm	10	9 341741 006588	9 341741 007073
VPS75100	75mm x 100mm	10	9 341741 006571	9 341741 007066
VPS13090	130mm x 90mm	10	9 341741 002498	9 <sup>1</sup> 341741 006618
VPS130100	130mm x 100mm	10	9 341741 002504	9 341741 006625
VPS130115	130mm x 115mm	10	9 341741 009145	9 341741 009152
VPS130125	130mm x 125mm	10	9 341741 006298	9 341741 006786
VPS130135	130mm x 135mm	10	9 341741 018086	9 341741 018093
VPS15090	150mm x 90mm	10	9 341741 006342	9 341741 006830
VPS150100	150mm x 100mm	10	9 341741 006304	9 "341741"006793"
VPS150120	150mm x 120mm	10	9 341741 006311	9 341741 006809
VPS150125	150mm x 125mm	10	9 341741 006328	9 341741 006816
VPS150150	150mm x 150mm	10	9 341741 006335	9 341741 006823

### VUETRADE Full Stirrup Post Supports are brackets ideal for holding timber posts, installed by bolting onto or setting into

• Prevents timber posts from decay

• Extra Heavy Duty 32mm Shaft, 2.0mm Thick



Also available in 🔁 Stainless Steel. See page 60.



## Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS20090	200mm x 90mm	10	9 341741 002511	9 341741 006632
VPS200100	200mm x 100mm	10	9 341741 002528	9 341741 006649
VPS25090	250mm x 90mm	10	9 341741 006502	9 341741 006991
VPS250100	250mm x 100mm	10	9 341741 006496	9 341741 006984
VPS30090	300mm x 90mm	10	9 341741 002535	9 341741 006656
VPS300100	300mm x 100mm	10	9 341741 002542	9 341741 006663
VPS300115	300mm x 115mm	10	9 341741 009169	9 341741 009176
VPS300120	300mm x 120mm	10	9 341741 006359	9 341741 006847
VPS300125	300mm x 125mm	10	9 341741 006366	9 341741 006854
VPS300135	300mm x 135mm	10	9 341741 010424	9 341741 010431
VPS300140	300mm x 140mm	10	9 341741 015221	9 341741 015238
VPS300150	300mm x 150mm	10	9 341741 006373	9 341741 006861
VPS37590	375mm x 90mm	10	9 341741 006526	9 341741 007011
VPS375100	375mm x 100mm	10	9 341741 006519	9 341741 007004
VPS45090	450mm x 90mm	10	9 341741 006540	9 341741 007035
VPS450100	450mm x 100mm	10	9 341741 006533	9 341741 007028
VPS450115	450mm x 115mm	10	9 341741 006380	9 341741 006878
VPS450125	450mm x 125mm	10	9 341741 010332	9 341741 010349

# **VUETRADE Product Guide**

## Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS450135	450mm x 135mm	10	9 341741 010356	9 341741 010363
VPS450150	450mm x 150mm	10	9 341741 010370	9 341741 010387
VPS60090	600mm x 90mm	10	9 341741 006564	9 341741 007059
VPS600100	600mm x 100mm	10	9 341741 006557	9 341741 007042
VPS600115	600mm x 115mm	10	9 341741 009183	9 341741 009190

### Half Stirrup Post Supports



VHSPS300

10


300mm

vuetrade.com

POST SUPPORTS

31

VUETRADE Half Stirrup Post Supports are brackets ideal for fixing timber posts to a base, especially where the post can only be accessed



GALVANISED



#### **Centre Blade Post Supports**



VUETRADE Centre Blade Post Supports are brackets used for fixing timber posts to concrete or timber bases, with the 'hidden' blade providing a neat finish.

- Concealed support of timber posts neat finish
- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- 4.0mm thick steel saddle
- Blade and Base Bolt Holes 2 x M12 Bolt Holes
- · Galvanised finish for durability and long-life



Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBLPS125	125mm	10	9 341741 006205	9 341741 006694
VBLPS300	300mm	10	9 341741 006212	9 341741 006700

#### **Pin Stirrup Post Supports**

G

VUETRADE Pin Stirrup Post Supports are brackets ideal for holding timber posts in applications where the post support needs to be totally concealed.

- 32mm Solid Shaft, 2.0mm Thick
- Prevents timber posts from decay
- 4.0mm thick steel saddle
- Bolt Holes 2 x M10 (Base of Saddle)
  - 2 x M12 (Base)
- · Galvanised finish for durability and long-life

Warning: Check with your engineer or consult our technical data as centre pin post anchors may not achieve the correct ratings for some applications.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPPS125	125mm	10	9 341741 006465	9 341741 006953
VPPS200	200mm	10	9 341741 006472	9 341741 006960
VPPS300	300mm	10	9 341741 006489	9 341741 006977

# 

**Product Guide** 

#### **Concealed Bolt Down Post Support Kit**



Product Code	Size	Box Qty	Indiv
VCBPS90	90mm	10	9 34

#### **Adjustable Post Supports**

VUETRADE Adjustable Post Supports are brackets ideal for fixing uncommon or large sizes of timber posts, installed by bolting onto concrete.

- Prevents timber posts from decay
- Adjustable and convenient
- 4.0mm thick steel for extra strength

Product Code	Size	Box Qty	Ind
VAPS75	75mm	10	9 3
VAPS160	160mm	10	9 3

POST SUPPORTS


G

The VUETRADE Concealed Bolt Down Post Support Kit is a system ideal for fixing decorative timber posts with an

• Architectural finish with concealed blade and cap


2 x M12 Bolt Holes (Base) 3 x M12 Bolt Holes (Blade)

• Galvanised finish for durability and long-life



• 1 x M10 Bolt Hole on Saddle, Stem & Base of each half

· Galvanised finish for durability and long-life



All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684 sales@bellevuegroup.com.au 33



# TRADIES **BOLT DOWN POST SUPPORT**



#### **Tradies' Bolt Down Post Supports**



concealed assembly.

- Economical price point
- Aussie jobs


Product Code	Size	Box Qty	Inc
VTBPS90	90mm	20	9 3





Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPS90	90mm	10	9 341741 002474	9 341741 006595
VBPS100	100mm	10	9 341741 002481	9 341741 006601
VBPS115	115mm	10	9 341741 007226	9 341741 007202
VBPS125	125mm	10	9 341741 007233	9 341741 007219





#### TRADIES BOLT DOWN

Adaptable and cost effective

M12 90 mm G Timber Suited Size Suitable Bolt Size

Suits 90mm Square Timber

- Concealed or Open Finish
- 1.6mm thick Galvanised Steel
- M12 Bolt Holes in both the Saddle & Base
- Australian Made





vuetrade.com


# 35

POST SUPPORTS

#### VUETRADE Tradies' Bolt Down Post Supports are brackets ideal for bolting down timber posts, with either an open or

• M10 & M12 Bolt Hole Options in Base

- Improved cap design concealed or open assembly options
- Galvanised finish for durability and long-life
- Australian Made High quality, peace of mind, and supporting



#### VUETRADE Bolt Down Post Supports are connectors ideal for strong, concealed bolting of timber posts onto concrete bases.

• Improved design for extra strength • 2 x M12 Bolt Holes (Saddle & Base) • 3.0mm thick steel for 90mm & 100mm • 4.0mm thick steel for 115mm & 125mm • Galvanised finish for durability and long-life




Also available in 🔁 Stainless Steel. See page 64.

**GALVANISED** 



#### **INSTALLATION INSTRUCTIONS:**





#### **AVAILABLE IN:** VIDEO & TECH DATA GNR

Galvanised and

Stainless Steel 304 & 316\*

\*316 Available by Special Order



vuetrade.com

**Product Guide** 

#### **T-Blade Post Supports**

			ADE T-B ed fixing ncrete.	
		<ul><li>10.0mr</li><li>Conceo</li><li>Conceo</li></ul>	or specialt m Thick St aled welds aling caps hised finish	s k s k
G	anten	Also ava	ilable in	1
Product Code	Descripti	on	Box Qty	
VBPTB90100	80mm x 80mm Base - 250mm Blade		6	
VBPTB115140	110mm x 110mm Base - 275mm Blade		6	
VBPTB150180	140mm x 140mm Base - 300mm Blade		4	
VBPTB180200	180mm x 180mm Base	- 350mm Blade	2	
VBPTB250350	240mm x 240mm - /	400mm Blade	1	

### **T-Blade Post Support Caps**



- Quick and easy to install

	/ 188 0		_
Product Code	Size	Box Qty	
VBPTB90100CAP	90 x 90 x 30	6	ç
VBPTB115140CAP	120 x 120 x 30	6	9
VBPTB150180CAP	150 x 150 x 30	4	ç
VBPTB180200CAP	190 x 190 x 30	2	ç
VBPTB250350CAP	250 x 250 x 30	1	ç
All products are tested	following procedures highlight	ed in AS 1720.	VU

1300 850 520

vuetrade.com

#### ade Post Supports are brackets ideal for of large decorative timber posts by bolting

timber posts


el Blade and Base

between vertical and horizontal plates.

available to suit (sold separately)

for durability and long-life

**2** Stainless Steel. See page 66.




#### VUETRADE T-Blade Post Support Caps are stainless steel concealing caps to suit VUETRADE T-Blade Post Supports, covering base bolts for a neat finish on feature timber posts.

Conceals exposed base bolts for a neat finish

• Sizes to suit our full range of Bolt Down T-Blade Post Supports • 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Also available in 🔁 Stainless Steel. See page 67.



UETRADE products are compliant to AS 1684

#### **T-Blade Post Supports With Leg**



VUETRADE T-Blade Post Supports with Legs are strong, solid connectors ideal for fixing timber posts, by bolting onto or setting into concrete.

- Ideal for specialty timber posts
- 10.0mm thick steel blade and base
- 35mm or 73mm diameter legs
- NEW Solid 35mm Legs in 300mm & 600mm long - 140mm x 140mm Saddle Size only
- Concealed welds between vertical and horizontal plates
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Barcode
VHDBLPS60080	80mm x 80mm Base - 250mm Blade; 600mm x 35mm Leg	1	9 341741 014101
VHDBLPS600110	110mm x 110mm Base - 275mm Blade; 600mm x 35mm Leg	1	9 341741 014064
VHDBLPS- 300140SOLID	140mm x 140mm Base - 300mm Blade; 300mm x 35mm Solid Leg	1	9 341741 015030
VHDBLPS- 600140SOLID	140mm x 140mm Base - 300mm Blade; 600mm x 35mm Solid Leg	1	9 341741 015047
VHDBLPS600180	180mm x 180mm Base - 350mm Blade; 600mm x 73mm Leg	1	9 341741 013876

# **VUETRADE Product Guide**

#### **Ant Caps**



termite activity.

- Suited for termite-prone areas
- Made in Australia

Warning: These Ant Caps will not prevent the passage of ants/ termites. Contact your local inspectors or council authorities for inspection requirements and recommendations.

#### **Ant Caps With Hole**

Product Code	Size	Box Qty
VAC10025	100mm x 100mm - 25mm Flange	50
VAC10050	100mm x 100mm - 50mm Flange	50
VAC12525	125mm x 125mm - 25mm Flange	50
VAC12550	125mm x 125mm - 50mm Flange	50

#### Ant Caps No Hole


Product Code	Size	Box Qty
VAC10025NH	100mm x 100mm - 25mm Flange	50
VAC10050NH	100mm x 100mm - 50mm Flange	50
VAC12525NH	125mm x 125mm - 25mm Flange	50
VAC12550NH	125mm x 125mm - 50mm Flange	50
VAC23011550NH	230mm x 115mm - 50mm Flange	25
VAC23050NH	230mm x 230mm - 50mm Flange	25


#### VUETRADE Ant Caps are galvanised steel caps ideal for inserting between timber bases and floors in areas with

• Shows termite mud tunnels in inspections • Galvanised finish for durability and long-life



Also available in C Stainless Steel. See page 69.









#### **Brick Veneer Ties - Light Duty**



VUETRADE Brick Veneer Ties Light Duty are masonry wall ties ideal for joining wall frames and brickwork to provide stability in light duty applications.

- Classified Light Duty when used with the accompanying Nails
- Conforms to Australian Standards AS2699 and AS3700
- Available in R2 (Galvanised), R3 (SS304), R4 (SS316)
- 0.9mm thick steel for extra strength
- Made in Australia

Warning: R2 Brick Ties are to be used no closer than 10km to surf coast, or 1km to sheltered coast. R3 Brick Ties are to be used 1km -10km from surf coast, or 100mt - 1km from sheltered coast. R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS26991.2020



Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTLDR2	Light Duty with Nails	150	9 341741 003334	9 341741 004348
VBTLDR3	Light Duty with Nails; SS304	150	9 341741 003358	9 341741 004362
VBTLDR4	Light Duty with Nails; SS316	150	9 341741 015276	9 341741 015283

### **Brick Veneer Ties - Medium Duty**



- Medium Duty classification when used with the accompanying Screws
- Fully tested and compliant with Australian Standards AS2699 and AS3700
- Available in R2 (Galvanised), R3 (SS304), R4 (SS316)
- 0.9mm thick steel for extra strength
- Made in Australia

Warning: R2 Brick Ties are to be used no closer than 10km to surf coast, or 1km to sheltered coast. R3 Brick Ties are to be used 1km -10km from surf coast, or 100mt - 1km from sheltered coast. R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS2699.1:2020

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTMDR2	Medium Duty with Screws	150	9 341741 003341	9 341741 004355
VBTMDR3	Medium Duty with Screws; SS304	150	9 341741 014972	9 341741 015245
VBTMDR4	Medium Duty with Screws; SS316	150	9 341741 015252	9 341741 015269

#### All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

sales@bellevuegroup.com.au

# **Product Guide**

#### **Twisted Brick Veneer Ties**

framing rather than the face.

• Side-fixing wall tie - connects to timber stud Install during masonry construction Conforms to Australian Standards AS2699 and AS3700

- 115mm in length
- Made in Australia

Product Code	Size	Box Qty	I
VTTWBV	115mm	150	9

#### **Frame Ties**

G



#### VUETRADE Frame Ties are galvanised masonry wall ties used to tie off brick or block walls to support structures.

230mm long in length

Product Code	Size	Description	Box Qty	Individual Barcode	Carton Barcode
VTBTFT	230mm	Z600 Galvanized	150	9 341741 003433	9 "341741"004447"

#### **Double Sleeve Expansion Ties**



G

#### VUETRADE Twisted Brick Veneer Ties are galvanised steel masonry wall ties for fixing brick work to the side of timber

· Galvanised finish for durability and long-life



 Long crimped section for increased grip · Galvanised finish for durability and long-life

VUETRADE Double Sleeve Expansion Ties are rod ties designed for vertical masonry expansion joints.

#### **Expansion Ties**

~

G

VUETRADE Expansion Ties are galvanised expansion gap ties designed to stabilise and prevent lateral movement in block masonry joints.

- · Pre-bent middle section to stabilise blockwork while allowing expansion
- Durability classification R2 as per AS2699.1:2020
- Compliant to AS/NZS 2699.2:2000
- Z600 Galvanised finish for durability and long-life
- Made in Australia

Also available in	િ	Stainless Steel. See page 71.
-------------------	---	-------------------------------

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VTEXTG	Galvanised	60	9 341741 003419	9 341741 004423

#### **Sub Floor Punched Vents**



#### VUETRADE Sub Floor Punched Vents are brick vents designed to combat sub floor moisture, ideal for installation during masonry construction.

 Install when mortaring brickwork or blockwork • Combats sub floor moisture & consequences

- Available in multiple sizes Galvanised finish for durability and long-life
- Made in Australia
- Also available in 🔁 Stainless Steel. See page 72.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFV230X76SLIM	230mm x 76mm - Slim	20	9 341741 003969	9 "341741"004829
VTSFV230X76	230mm x 76mm	20	9 341741 003952	9 341741 004812
VTSFV190X90	190mm x 90mm	20	9 341741 003938	9 341741 004799
VTSFV190X190	190mm x 190mm	20	9 341741 003921	9 "341741"004782"
VTSFV230X160	230mm x 160mm	20	9 341741 003945	9 341741 004805
VTSFV390X90	390mm x 90mm	20	9 341741 003983	9 341741 004843
VTSFV390X190	390mm x 190mm	20	9 341741 003976	9 341741 004836

# **Product Guide**

#### Sub Floor Louvred Vents



# Sub Floor Vents – Anti Spark

to and including BAL-40.

- for bushfire zones • Available in multiple sizes
- Made in Australia

Product Code	Size	Box Qty	
VTSFVAS230X76SLIM	230mm x 76mm - Slim	20	
VTSFVAS230X76	230mm x 76mm	20	
VTSFVAS190X190	190mm x 190mm	20	
VTSFVAS230X160	230mm x 160mm	20	
VTSFVAS390X190	390mm x 190mm	20	

G




VENTS

#### VUETRADE Sub Floor Vents – Anti Spark are brick vents fitted with fine stainless steel mesh, designed to combat sub floor moisture, ideal for areas which are prone to bushfire attack up

• Insert into the wall when the bricks/blocks are being laid • Combats sub floor moisture & consequences

• Fitted with BAL40 compliant (complies with Australian Standard AS 3659: 2009 - 'Construction of Building in Bush fire-prone Areas') Anti Spark 316 Stainless Steel Mesh 0.9mm diameter x 1.64mm aperture

Also available in 🔁 Stainless Steel. See page 72.



**GALVANISED** 



**Product Code** 

VTFF250X110

VTFF260X200

#### **Flat Face Punched Vents**

Size

250mm x 110mm

260mm x 200mm

VUETRADE Flat Face Punched Vents are brick vents ideal for reducing moisture in structures, designed to be fastened to the face of the wall with screws.

**Carton Barcode** 

- Designed to be screwed onto a wall face
- Available in multiple sizes

Box Qty

20

20

- Combats dampness and improves air quality
- Galvanised finish for durability and long-life

Individual Barcode


**Product Guide** 

#### **Flat Face Louvred Vents**



Product Code	Size	Box Qty	Ind
VTFFLS230X160	230mm x 160mm	20	9 3

Anti Spark Mesh – Stainless
-----------------------------






VENTS

#### VUETRADE Flat Face Louvred Vents are brick vents to reduce moisture in structures, ideal for fastening to the face of the wall


• Install by screwing onto a wall face • Available in multiple sizes • Fights dampness and improves air quality

· Galvanised finish for durability and long-life




#### Steel

# **VUETRADE** VUEBOLT



# Unique, patent pending concealed threaded bolt

Neat and easy solution for your timber post






# **VUETRADE**

**Product Guide** 

#### **VUEBOLT Post Support Bolts**



Referred to as the post support bolt, the VUEBOLT truly shines in its ease of use and clean, concealed finish when being used to secure a timber post.

VUEBOLT GQ

Concealed thread bolts ideal for fixing post supports or for timber to timber connections




90 to 360 mm Full VUEBOLT Sizes Range

M10/M12/ M16/M20 Bolt Sizes

**T50 Star Drive** Secures all sizes of the VUEBOLT




vuetrade.con





VUEBOLT



Designed to have equal length sides on both male and female ends to ensure a strong connection

Check out our online chart to see which size VUEBOLT suits your post support.



#### **VUEBOLT Post Support Bolts**



VUEBOLT Post Support Bolts are concealed thread bolts ideal for fixing post supports with a quick, neat and concealed finish.

- Concealed thread with male and female bolt neat finish
- Easy installation with T50 drive head
- Strong, compliant and durable
- Excellent corrosion protection

Warning: Always ensure that boltholes are drilled fully through the timber post to obtain the recommended capacity.

Product Code	Description	Fits Post Size	Ctn Qty	Individual Barcode	Carton Barcode
VUEBOLT90110	M10 x <b>90 - 110</b> mm Card of 2 (10.5mm Shaft)	90 - 110mm	30	9 341741 015771	9 341741 015788
VUEBOLT90110HD	M12 x <b>90 - 110</b> mm Card of 2 (12.5mm Shaft)	90 - 110mm	30	9 341741 015795	9 341741 015801
VUEBOLT110150	M12 x <b>110 - 150</b> mm Card of 2 (12.5mm Shaft)	110 - 150mm	25	9 341741 015818	9 341741 015825
VUEBOLT110150HD	M16 x <b>110 - 150</b> mm Card of 2 (16.5mm Shaft)	110 - 150mm	25	9 341741 022595	9 341741 022601
VUEBOLT150230	M16 x <b>150 - 230</b> mm Card of 2 (16.5mm Shaft)	150 - 230mm	15	9 341741 015832	9 341741 015849
VUEBOLT230360	M20 x <b>230 - 360</b> mm Card of 1 (20.5mm Shaft)	230 - 360mm	10	9 341741 022618	9 341741 022625

# 

**Product Guide** 

2

#### **Stainless Steel VUEBOLT Post Support Bolts**

Stainless Steel VUEBOLT Post Support Bolts are concealed thread bolts ideal for coastal construction, providing a quick, neat finish on feature timber posts.

- Simple to install with T50 drive head

Warning: Always ensure that bolt holes are drilled fully through the timber post to obtain the recommended capacity. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings

Product Code	Description	Fits Post Size	Ctn Qty
VUEBOLT90110SS	M10 x <b>90 - 110</b> mm Card of 2 (10.5mm Shaft)	90 - 110mm	30
VUEBOLT90110HDSS	M12 x <b>90 - 110</b> mm Card of 2 (12.5mm Shaft)	90 - 110mm	30
VUEBOLT110150SS	M12 x <b>110 - 150</b> mm Card of 2 (12.5mm Shaft)	110 - 150mm	25
VUEBOLT110150HDSS	M16 x <b>110 - 150</b> mm Card of 2 (16.5mm Shaft)	110 - 150mm	25
VUEBOLT150230SS	M16 x <b>150 - 230</b> mm Card of 2 (16.5mm Shaft)	150 - 230mm	15
VUEBOLT230360SS	M20 x <b>230 - 360</b> mm Card of 1 (20.5mm Shaft)	230 - 360mm	10

#### **VUEBOLT T50 Star Drive Wrench**

Вишеленое	The VUEBOLT TSC solution for the fas VUEBOLT Post Sup • Quick and consister
Product Code	Pack QTY
VTX50	2

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684 1300 850 520 vuetrade.com sales@bellevuegroup.com.au

VUEBOLT




# 49

• Concealed thread, male & female bolts - neat finish

• Compliant to Australian Standards AS1684.2 and AS1720

• 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments



O Star Drive Wrench is the ideal st and effective installation of pport Bolts.

ent installation



# COASTALSS for coastal & high corrosion areas

CoastalSS is recommended for corrosion resistance Stainless Steel use is specified in the Australian Standards **316SS provides the strongest** 

corrosion protection

Timber Connector Icons assist specification

VUETRADE's CoastalSS range is made up of high-quality Stainless Steel products that allow you to install solid timber connections in various coastal areas, without having to worry about the connector rusting and making your structure unsafe.

Stainless Steel Timber Connectors prevent potential structural failure, as well as saving the future time and money required to replace corroded brackets.

The Australian Standards provide guidelines for the use of Stainless Steel Fixings and Brackets - refer to AS3700 Section 5.

VUETRADE has an extensive stocked range of 304 and 316 Stainless Steel, as well as many special order and customizable Stainless Steel products.

Stainless Steel grade 304 (SS304) is the most commonly used stainless steel, as it is cost effective and sufficiently corrosion resistant for many applications. However, SS304 is susceptible to tea staining (a superficial rust-looking stain) and can be corroded in extremely corrosive environments.

In contrast, Stainless Steel grade 316 (SS316) has a greatly increased corrosion resistance and will withstand Severe Marine conditions.



#### **Timber Connector Specification Area Chart**



#### **Timber Connector Icons**

To assist with proper product specification and use for different areas VUETRADE have developed a unique and easy to understand icon markings for our Timber Connectors range.



#### **G** - Standard/Galvanised

- Internal/enclosed
- Exterior/exposed inland areas except if in contact with fresh water or nonsaline wetting & drying
- Rain Drop Marine Environment
- Marine Environment 100m up to 1km from a non-surf coast and from 1km up to 10km from a surf coast
- External applications in contact with freshwater or subject to nonsaline wetting and drying (classed as Marine Environment as per AS 3700 - 2011: Section 5: Design for Durability)
- Minimum steel grade required Stainless Steel 304

All products are tested followi g procedures highlighted in AS1720. VUETRADE p ucts are con 1300 850 520 vuetrade.com sales@bellevuegroup.com.au

51



#### Waves – Severe Marine

- Severe Marine 100m from a non-surf coast and up to 1km from a surf coast
- Minimum Steel Grade Stainless Steel 316
- No 'Tea Staining' a superficial 'rust' look that occurs on lower grades of Stainless Steel including 304.

### **Stainless Steel Punched Builder's Strapping**




#### VUEBRACE Stainless Steel Punched Builder's Strapping is a stainless steel tension bracing ideal for bracing roofs, walls, ceilings and floors in coastal areas.

- Engineered to comply with AS1684.2-2021 and AS1684.3-2021 for structural wall bracing
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel bracing varies in different states and areas - always check with your local building authorities.

Product Code	Size	Carton Barcode
VB30815SS	30mm x 0.8mm x 15mt	9 341741 010042
VB30830SS	30mm x 0.8mm x 30mt	9 341741 010059
VB30115SS	30mm x 1.0mm x 15mt	9 341741 010066
VB30130SS	30mm x 1.0mm x 30mt	9 341741 010073

#### **Stainless Steel Joist Hangers**



1300 850 520

VUETRADE Stainless Steel Joist Hangers are time-saving, versatile hangers ideal for connecting joists to beams, trusses to beams, and roof trusses to girders in coastal areas.

- Unique Nail Spikes holds the hanger in position while you hammer!
- Meets and exceeds Australian Standard AS1720
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails into timber members and ensure to install them through prebored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

sales@bellevuegroup.com.au

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH3590SS	35mm x 90mm	45	9 341741 009466	9 341741 009640
VJH35120SS	35mm x 120mm	30	9 341741 009473	9 341741 009657
VJH35140SS	35mm x 140mm	30	9 341741 009480	9 341741 009664
VJH35180SS	35mm x 180mm	30	9 341741 009497	9 341741 009671
VJH4590SS	45mm x 90mm	45	9 341741 009541	9 341741 009725

# **VUETRADE**

**Product Guide** 

#### Stainless Steel Joist Hangers Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH45120SS	45mm x 120mm	30	9 341741 009558	9 341741 009732
VJH45140SS	45mm x 140mm	30	9 341741 009565	9 341741 009749
VJH45180SS	45mm x 180mm	30	9 341741 009572	9 341741 009756
VJH45220SS	45mm x 220mm	20	9 341741 009589	9 341741 009763
VJH5090SS	50mm x 90mm	45	9 341741 009596	9 341741 009770
VJH50120SS	50mm x 120mm	30	9 341741 009602	9 341741 009787
VJH50140SS	50mm x 140mm	30	9 341741 009619	9 341741 009794
VJH50180SS	50mm x 180mm	30	9 341741 009626	9 341741 009800
VJH50220SS	50mm x 220mm	20	9 341741 009633	9 341741 009817

vuetrade.com



STAINLESS STEEL


All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684 sales@bellevuegroup.com.au



BRACING

# 54 **VUETRADE Product Guide**

# **Stainless Steel Split Joist Hangers**



#### VUETRADE Stainless Steel Split Joist Hangers are fast fixing, multi-purpose hangers ideal for joist, beam and truss joining in coastal areas, with timber over the width of 50mm.

- Suitable for large timber sizes
- Unique Nail Spike Feature makes positioning easy!
- Meets and exceeds Australian Standard AS1720
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails into timber members and ensure to install them through pre-bored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VSJH120SS	120mm	30	9 341741 014538	9 341741 014545
VSJH140SS	140mm	30	9 341741 014552	9 341741 014569
VSJH180SS	180mm	30	9 341741 014576	9 341741 014583
VSJH220SS	220mm	20	9 341741 014590	9 341741 014606

# **Stainless Steel Triple Grips**



VUETRADE Stainless Steel Triple Grips are multipurpose galvanised building brackets used in many nail-fixed timber joints with perpendicular angles, ideal for use on the coast.

- Ideal for 90-degree joints
- To be fastened with hand-driven nails
- · Available in right hand and left hand profiles
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VTTGLHSS	LEFT HAND	100	9 "341741"013715	9 341741 013784
VTTGRHSS	RIGHT HAND	100	9 "341741"013739	9 341741 013791

# 

#### **Product Guide Stainless Steel Mini Grips**



angles in coastal regions.

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG57SS	57mm	200	9 341741 010004	9 341741 010011

# **Stainless Steel Multi Grips**



- AS1684.3
- Aussie jobs

R

with your local building authorities.

Product Code	Size	Box Qty	Indi
VTMG100SS	100mm	200	9 34

### **Stainless Steel Joist Straps**



STAINLESS STEEL

#### VUETRADE Stainless Steel Mini Grips are multipurpose timber framing brackets ideal for joining timber at right

• Install through pre-punched holes for optimum load ratings Economical connector for more lightly loaded joints • 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

• Australian Made - High quality, peace of mind, and supporting

#### VUETRADE Stainless Steel Multi Grips are versatile, costeffective brackets used for right angle joints in timber framing, ideal for coastal construction.

• Versatile bracket - simply bend to your needs! • Suitable for framing application in accordance with AS1684.2 and

• 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments • Australian Made - High quality, peace of mind, and supporting

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check



sales@bellevuegroup.com.au

55

### **Stainless Steel Tap In Plates**

VUETRADE Stainless Steel Tap In Plates are timesaving nail plates with built-in steel 'teeth', ideal for joining timber wall frames and top plates in coastal areas.

- Timesaving manufactured with built-in 'teeth'
- Strong and secure connections
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTIP45120SS	45mm x 120mm	100	9 341741 009916	9 341741 009923
VTIP45180SS	45mm x 180mm	67	9 341741 009930	9 341741 009947
VTIP70120SS	70mm x 120mm	75	9 341741 009954	9 341741 009961
VTIP70180SS	70mm x 180mm	50	9 341741 009978	9 341741 009985

### **Stainless Steel Connector Plate Nails**

VUETRADE Stainless Steel Connector Plate Nails are 316 Stainless Steel fixings specifically for fixing applications using any Stainless Steel VUETRADE timber connector.

- Use to fasten VUETRADE Stainless Steel Timber Connectors • Size 30mm x 2.8mm
- 645 nails per kg
- Available in 500g, 2kg and 5kg packs

• 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings.

Product Code	Size	Ctn Qty	Barcode
VTCPNSS3028500	500g	6	9 341741 010295
VTCPNSS30282	2kg	1	9 <sup>1</sup> 341741 010301
VTCPNSS30285	5kg	1	9 341741 010318

# 

**Product Guide** 

#### **Stainless Steel Bearer Plates**

EVUETRADE

of framing in coastal areas.

- Ideal for Heavy Duty applications 10mm thick steel

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails or equivalent into timber members and ensure to install them through pre-bored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

Product Code	Size	Qty	Barcode
VTBP80120SS	80mm x 120mm	1	9 341741 017683
VTBP80180SS	80mm x 180mm	1	9 341741 017690
VTBP80240SS	80mm x 240mm	1	9 341741 017706
VTBP80300SS	80mm x 300mm	1	9 341741 017713

# **Stainless Steel Ultra Heavy Duty Angles**

VUETRADE Ultra Heavy Duty Angles are Stainless Steel multi-purpose right-angled brackets ideal for framing staircases.

- Suitable for framing stairs, shelves and corner supports • 2.0mm thick steel for extra strength
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Product Code	Size	Box Qty	Inc
VTUHDA4040	40mm x 40mm x 230mm	40	9 3





#### VUETRADE Stainless Steel Bearer Plates are a nail on plate suitable for timber connections, and repair and reinforcement

• 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.



# 58 **VUETRADE**

**Product Guide** 

### **Stainless Steel Pergola Angles**



VUETRADE Stainless Steel Pergola Angles are multi-purpose building brackets ideal for connecting pergola rafters to beams.

- · Suitable for heavy duty applications
- 1.6mm thick steel for extra strength
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTPA36SS	92mm x 68mm x 36mm x 1.6mm	200	9 341741 009893	9 341741 009909

# **Stainless Steel Hold Down Brackets**

VUETRADE Stainless Steel Hold Down Brackets are heavyduty brackets ideal for connecting wall studs and roof trusses in coastal areas.

 Ideal for heavy duty applications in metal or timber framing • Can be fixed with nails or bolts

- 2.0mm thick steel for extra strength
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTHDBSS	127mm x 55mm x 47mm x 2.0mm	75	9 341741 018550	9 341741 018567

# and shelves.

• Suitable for use on stairs and shelves or any application where right angle connections are required

- stainless steel angles

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Description	Size	Box Qty
VABHD02SS	40L x 60W x 100H x 3.0mm	M10	25
VABHD04SS	80L x 60W x 60H x 3.0mm	M10	25
VABHD05SS	80L x 60W x 100H x 3.0mm	M10	15
VABHD09SS	120L x 100W x 100H x 3.0mm	M10	10
VABHD12SS	160L x 100W x 100H x 3.0mm	M10	10

**Product Guide** 

# **Stainless Steel Plates - Heavy Duty**

#### VUETRADE Stainless Steel PLATES - Heavy Duty are designed to allow connection between flat timber faces.

Product Code	Description	Size	Box Qty
VPHD200120SS	200mm x 120mm x 3.0mm	M10	10
VPHD20040SS	200mm x 40mm x 3.0mm	M10	25
VPHD20080SS	200mm x 80mm x 3.0mm	M10	15

1300 850 520 vuetrade.com

**BUILDING BRACKETS** 




### **Stainless Steel Angle Brackets - Heavy Duty**

#### VUETRADE Ultra Heavy Duty Angles are Stainless Steel multi-purpose right-angled brackets ideal for use on stairs

• 3.0mm thick steel for extra strength

Suitable for M10 bolt fixings – use only Stainless Steel bolts with

• 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments




 Suitable for a variety of Timber-Timber Connections where connection between one flat to another is required.

3.0mm thick steel for extra strength

• Suitable for use with Stainless Steel M10 bolts – Use only Stainless Steel bolts with stainless steel plates

• 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments



All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

sales@bellevuegroup.com.au

59

## 60

#### **Product Guide**

## **Stainless Steel Full Stirrup Post Supports**



#### VUETRADE Stainless Steel Full Stirrup Post Supports are U-saddle post anchors ideal for coastal areas, fixing timber posts by bolting onto or setting into concrete.

- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- Suits 90mm up to 200mm square posts
- Leg Sizes from 75mm to 600mm
- Bolt Holes
- 2 x M12 Bolt Holes (Saddle & Base)
- Stirrup Side Size 75mm Wide x 105mm High
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS7590SS304*	75mm x 90mm	1	9 "341741"010523"	9 341741 011155
VPS75100SS304*	75mm x 100mm	1	9 341741 010677	9 341741 011308
VPS13090SS	130mm x 90mm	10	9 341741 010219	9 341741 010226
VPS130100SS304*	130mm x 100mm	1	9 341741 010691	9 341741 011322
VPS130115SS	130mm x 115mm	10	9 341741 010851	9 341741 011483
VPS130125SS	130mm x 125mm	10	9 341741 010936	9 341741 011568
VPS130135SS	130mm x 135mm	10	9 "341741"011018"	9 341741 011643
VPS15090SS304*	150mm x 90mm	1	9 341741 010554	9 341741 011186
VPS150100SS304*	150mm x 100mm	1	9 341741 010714	9 341741 011346

\*Non-stocked lines

All available in SS316 by special order

# 

**Product Guide** 

### Stainless Steel Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS150125SS304*	150mm x 125mm	1	9 341741 010950	9 341741 011582
VPS150150SS304*	150mm x 150mm	1	9 341741 011094	9 341741 011728
VPS150200SS304*	150mm x 200mm	1	9 341741 011896	9 341741 012695
VPS20090SS	200mm x 90mm	10	9 341741 010233	9 341741 010240
VPS200100SS304*	200mm x 100mm	1	9 341741 010738	9 341741 011360
VPS200115SS304*	200mm x 115mm	1	9 341741 010875	9 341741 011506
VPS200135SS304*	200mm x 135mm	1	9 341741 011032	9 341741 011667
VPS200140SS304*	200mm x 140mm	1	9 341741 013593	9 341741 013654
VPS25090SS304*	250mm x 90mm	1	9 341741 010585	9 341741 011216
VPS250100SS304*	250mm x 100mm	1	9 341741 010752	9 341741 011384
VPS30090SS	300mm x 90mm	10	9 341741 010257	9 341741 010264
VPS300100SS304*	300mm x 100mm	1	9 341741 010776	9 341741 011407
VPS300115SS	300mm x 115mm	10	9 341741 010899	9 341741 011520
VPS300125SS304*	300mm x 125mm	1	9 341741 010974	9 341741 011605
VPS300135SS304*	300mm x 135mm	1	9 341741 011056	9 341741 011681
VPS300140SS304*	300mm x 140mm	1	9 341741 013616	9 341741 013678

\*Non-stocked lines

All available in SS316 by special order

POST SUPPORTS

61

STAINLESS STEEL



# POST SUPPORTS

### Stainless Steel Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS300150SS304*	300mm x 150mm	1	9 341741 011117	9 341741 011742
VPS300200SS304*	300mm x 200mm	1	9 341741 011919	9 341741 012718
VPS37590SS304*	375mm x 90mm	1	9 341741 010615	9 341741 011247
VPS375100SS304*	375mm x 100mm	1	9 341741 010790	9 341741 011421
VPS45090SS304*	450mm x 90mm	1	9 341741 010639	9 341741 011261
VPS450100SS304*	450mm x 100mm	1	9 341741 010813	9 341741 011445
VPS450115SS304*	450mm x 115mm	1	9 341741 010912	9 341741 011544
VPS450125SS304*	450mm x 125mm	1	9 341741 010998	9 341741 011629
VPS450135SS304*	450mm x 135mm	1	9 341741 011070	9 341741 011704
VPS450140SS304*	450mm x 140mm	1	9 341741 013630	9 341741 013692
VPS450150SS304*	450mm x 150mm	1	9 341741 011131	9 341741 011766
VPS450200SS304*	450mm x 200mm	1	9 341741 011933	9 341741 012732
VPS60090SS304*	600mm x 90mm	1	9 341741 010653	9 341741 011285
VPS600100SS304*	600mm x 100mm	1	9 341741 010837	9 341741 011469

\*Non-stocked lines

All available in SS316 by special order

**Product Guide** 

### **Stainless Steel Half Stirrup Post Supports**



concrete.

Saddle and Base Bolt Holes

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastaISS stainless steel brackets.

Product Code	Size	Box Qty	Ind
VHSPS125SS	125mm	10	9 3/
VHSPS200SS304*	200mm	1	9 34
VHSPS300SS304*	300mm	1	9 34

\*Non-stocked lines. All available in SS316 by special order

### **Stainless Steel Centre Blade Post Supports**



VUETRADE Stainless Steel Centre Blade Post Supports are brackets ideal for coastal construction, with the 'hidden' blade providing a neat finish at the base of a timber post.

- Neat & concealed finish
- Blade and Base Bolt Holes
- 2 x M12 Bolt Holes
- Various leg sizes available • 4.0mm thick steel saddle
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.


Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBLPS125SS	125mm	10	9 341741 012176	9 <b>3</b> 41741 012978
VBLPS300SS304*	300mm	1	9 341741 012190	9 341741 012992

\*Non-stocked lines. All available in SS316 by special order

#### VUETRADE Stainless Steel Half Stirrup Post Supports are brackets ideal for coastal construction, fixing timber posts that can only be accessed from one side by bolting or inserting into

- Extra Heavy Duty 32mm Shaft, 2.0mm Thick

  - 2 x M12 Bolt Holes (Saddle & Base)
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments



- Extra Heavy Duty 32mm Shaft, 2.0mm Thick

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

sales@bellevuegroup.com.au

63



#### **Stainless Steel Bolt Down Post Supports**



VUETRADE Stainless Steel Bolt Down Post Supports are anchors ideal for bolting down timber posts in coastal areas, giving the choice of an open or concealed finish.

- 2 x M12 Bolt Holes (Saddle & Base)
- Easy install
- Cap gives a concealed or open finish
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments
- Australian Made High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPS90SS	90mm	10	9 341741 011957	9 341741 012756
VBPS90SS316	90mm	10	9 341741 011971	9 "341741"012770"

# **Product Guide**

# **Stainless Steel Bolt Down Post Supports**



- Easy install

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	
VBPS100SS	100mm	10	9
VBPS115SS	115mm	10	9
VBPS125SS	125mm	10	9
VBPS135SS	135mm	10	9
VBPS140SS304*	140mm	1	9
VBPS150SS304*	150mm	1	Ģ
VBPS200SS	200mm	10	ç


\*Non-stocked lines All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684 1300 850 520 vuetrade.com sales@bellevuegroup.com.au VUETRADE Stainless Steel Bolt Down Post Supports are anchors ideal for bolting down timber posts in coastal areas, giving the choice of an open or concealed finish.

• 2 x M12 Bolt Holes (Saddle & Base)

· Cap gives a concealed or open finish

• 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments



65

#### 66

#### **Product Guide**

#### **Stainless Steel T-Blade Post Supports**

VUETRADE Stainless Steel T-Blade Post Supports are brackets ideal for concealed, bolted fixing of feature timber posts on the coast.

- 10.0mm Thick Steel Blade and Base
- Ideal for decorative timber posts
- Quick install
- · Concealing caps available to suit (sold separately)
- 304 Stainless Steel durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPTB90100SS	80mm x 80mm Base - 250mm Blade	6	9 341741 012619	9 341741 013418
VBPTB115140SS	110mm x 110mm Base - 275mm Blade	6	9 341741 012633	9 341741 013432
VBPTB150180SS	140mm x 140mm Base - 300mm Blade	4	9 341741 012657	9 341741 013456
VBPTB180200SS	180mm x 180mm Base - 350mm Blade	2	9 341741 012671	9 341741 013470
VBPTB250350SS	240mm x 240mm Base - 400mm Blade	1	9 341741 019205	9 341741 019205

All available in SS316 by special order

# **Stainless Steel T-Blade Post Supports With Leg**



VUETRADE Stainless Steel T-Blade Post Supports with Legs are concealed anchors ideal for coastal use, installed by bolting timber posts onto or setting them into concrete.

• 10.0mm thick steel blade and base

• 35mm – 76mm diameter legs

• 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Barcode
VHDBLPS60080SS	80mm x 80mm Base – 250mm Blade, 600mm x 35mm Leg	9 341741 014118
VHDBLPS600110SS	110mm x 110mm Base – 275mm Blade, 600mm x 35mm Leg	9 341741 014071
VHDBLPS600140SS	140mm x 140mm Base – 300mm Blade, 600mm x 73mm Leg	9 341741 014095
VHDBLPS600180SS	180mm x 180mm Base – 350mm Blade, 600mm x 73mm Leg	9 341741013883

All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684



vuetrade.com

sales@bellevuegroup.com.au

# 

**Product Guide** 

#### **T-Blade Post Support Caps**


VUETRADE

- Quick and easy to install

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	
VBPTB90100CAP	90mm x 90mm	6	
VBPTB115140CAP	120mm x 120mm	6	
VBPTB150180CAP	150mm x 150mm	4	
VBPTB180200CAP	190mm x 190mm	2	
VBPTB250350CAP	250mm x 250mm	1	

### **Stainless Steel Cyclonic Post Supports**



\*Non-stocked lines. All available in SS316 by special order


1300 850 520



#### VUETRADE T-Blade Post Support Caps are stainless steel concealing caps to suit VUETRADE T-Blade Post Supports, covering base bolts for a neat finish on feature timber posts.

Conceals exposed base bolts for a neat finish

• Sizes to suit our full range of Bolt Down T-Blade Post Supports • 316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments



VUETRADE Stainless Steel Cyclonic Post Supports are U

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684



# Stainless Steel Cyclonic Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCYPS450100SS	450mm x 100mm	6	9 341741 012275	9 "341741"013074
VCYPS450115SS304*	450mm x 115mm	1	9 341741 012299	9 341741 013098
VCYPS450125SS304*	450mm x 125mm	1	9 341741 012312	9 341741 013111
VCYPS450135SS304*	450mm x 135mm	1	9 341741 012336	9 341741 013135
VCYPS450140SS304*	450mm x 140mm	1	9 341741 012350	9 341741 013159
VCYPS450150SS304*	450mm x 150mm	1	9 341741 012374	9 341741 013173
VCYPS450180SS304*	450mm x 180mm	1	9 341741 012398	9 341741 013197
VCYPS450200SS304*	450mm x 200mm	1	9 341741 012411	9 341741 013210
VCYPS60090SS	600mm x 90mm	6	9 341741 012435	9 341741 013234
VCYPS600100SS	600mm x 100mm	6	9 341741 012459	9 341741 013258
VCYPS600115SS304*	600mm x 115mm	1	9 341741 012473	9 341741 013272
VCYPS600125SS304*	600mm x 125mm	1	9 341741 012497	9 341741 013296
VCYPS600135SS304*	600mm x 135mm	1	9 341741 012510	9 341741 013319
VCYPS600140SS304*	600mm x 140mm	1	9 341741 012534	9 341741 013333
VCYPS600150SS304*	600mm x 150mm	1	9 341741 012558	9 341741 013357
VCYPS600180SS304*	600mm x 180mm	1	9 341741 012572	9 341741 013371
VCYPS600200SS304*	600mm x 200mm	1	9 341741 012596	9 341741 013395

# 

**Product Guide** 

#### **Stainless Steel Threaded Rod**

<ul> <li>connector ideal for tie down applica down roof trusses in cyclone-prone for general tie down and bracing for</li> <li>Ideal for cyclonic and high wind areas</li> <li>Available in diameters ranging from M1</li> <li>Complies with Australian Standards AS</li> <li>316 Stainless Steel – durable, corrosion</li> </ul>	<ul> <li>connector ideal for tie down applications, especially in tying down roof trusses in cyclone-prone regions. Also can be used for general tie down and bracing for wall framing.</li> <li>Ideal for cyclonic and high wind areas</li> <li>Available in diameters ranging from M10 to M20</li> <li>Complies with Australian Standards AS1275/DIN975 and AS1684.2</li> <li>316 Stainless Steel - durable, corrosion resistant, and suitable for use in coastal or high corrosion environments</li> </ul>		
Description	Barcode		
THREADED ROD - M10 x 2700 - SS316 - METRIC	9 341741 022465		
THREADED ROD - M10 x 3000 - SS316 - METRIC	9 341741 022472		
THREADED ROD - M12 x 2700 - SS316 - METRIC	9 341741 022489		
THREADED ROD - M12 x 3000 - SS316 - METRIC	9 341741 022496		
THREADED ROD - M16 x 2700 - SS316 - METRIC	9 341741 022502		
THREADED ROD - M16 x 3000 - SS316 - METRIC	9 341741 022519		
THREADED ROD - M20 x 3000 - SS316 - METRIC	9 341741 022526		
	down roof trusses in cyclone-prone for general tie down and bracing for         • Ideal for cyclonic and high wind areas         • Available in diameters ranging from MI         • Complies with Australian Standards AS         • 316 Stainless Steel – durable, corrosion use in coastal or high corrosion environ         Suitable for       Suitable for         Cyclonic installations.         Description         THREADED ROD - M10 x 2700 - SS316 - METRIC         THREADED ROD - M10 x 3000 - SS316 - METRIC         THREADED ROD - M12 x 2700 - SS316 - METRIC         THREADED ROD - M12 x 2700 - SS316 - METRIC         THREADED ROD - M12 x 2700 - SS316 - METRIC         THREADED ROD - M12 x 3000 - SS316 - METRIC         THREADED ROD - M16 x 3000 - SS316 - METRIC         THREADED ROD - M16 x 3000 - SS316 - METRIC		

#### **Stainless Steel Ant Caps**



\*Non-stocked lines

All available in SS316 by special order

# VUETRADE Stainless Steel Threaded Rod is a timber

#### VUETRADE Stainless Steel Ant Caps are caps ideal for covering timber bases to show termite activity in coastal

• 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: These Ant Caps will not prevent the passage of ants/ termites. Contact your local inspectors or council authorities for inspection requirements and recommendations. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building

	Barcode
No Hole	9 341741 015542

sales@bellevuegroup.com.au

69

		) J I I I I I I I I I I I I I I I I I I

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

STAINLESS STEEL

- i

# **Product Guide**

70 **VUETRADE** 

#### **Brick Veneer Ties - R3**

wall ties ideal for coastal areas, providing stability to brickwork by joining it to wall frames. • Durability class R3 - 304 Stainless Steel • 0.9mm thick steel • Fully tested and compliant with Australian Standards AS2699 and AS3700

Made in Australia

Warning: R3 Brick Ties are to be used 1km - 10km from surf coast, or 100mt - 1km from sheltered coast. Refer to AS 2699.1-2020. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

VUETRADE Brick Veneer Ties R3 are stainless steel masonry

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTLDR3	Light Duty with Nails; SS304	150	9 "341741"003358"	9 341741 004362
VBTMDR3	Medium Duty with Screws; SS304	150	9 "341741"014972"	9 341741 015245

#### **Brick Veneer Ties - R4**

Rimmun

VUETRADE Brick Veneer Ties R4 are stainless steel masonry wall ties ideal for coastal areas, joining wall frames and brickwork to provide structural stability.

- Conforms to Australian Standards AS2699 and AS3700
- Durability class R4 316 Stainless Steel
- 0.9mm thick stainless steel
- Light Duty with Nails and Medium Duty with Screws available Made in Australia

Warning: R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS 2699.1-2020. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBTLDR4	Light Duty with Nails; SS316	150	9 341741 015276	9 341741 015283
VBTMDR4	Medium Duty with Screws; SS316	150	9 341741 015252	9 "341741"015269"

# 

**Product Guide** 

#### **Stainless Steel Double Sleeve Expansion Ties**



Product Code	Size	Box Qty	I
VTDSSS	285mm	50	9

#### **Stainless Steel Expansion Ties**

#### VUETRADE Stainless Steel Expansion Ties are expansion gap ties designed for use in expansion joints to absorb lateral movement and stabilise masonry in coastal areas.

 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments Made in Australia

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Box Qty	In
VTEXTSS	60	9







#### VUETRADE Stainless Steel Double Sleeve Expansion Ties are rod ties ideal for preventing masonry cracking in coastal

Sliding rod tie for vertical expansion joints


 Conforming with Australian Standards AS2699 and AS3700 • 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check



• Middle crease to restrain expansion

• Tested and compliant to AS 2699.1-2020





### **Stainless Steel Sub Floor Vents**



VUETRADE Stainless Steel Sub Floor Punched Vents are brick vents designed to allow air movement in sub floors and prevent moisture damage on buildings.

- Complies with NCC 2022 for subfloor ventilation
- Install when mortaring brickwork or blockwork
- Combats sub floor moisture and provides sufficient airflow
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFV230X76SS	STAIN. STEEL SUB FLOOR VENTS - 230 x 76 - PUNCHED GRID	20	9 341741 018901	9 341741 018918

#### Stainless Steel Sub Floor Vents Anti-Spark

-----

VUETRADE Stainless Steel Sub Floor Vents – Anti Spark are brick vents fitted with fine stainless steel mesh, designed to combat sub floor moisture, ideal for areas which are prone to bushfire attack up to and including BAL-40.

• Insert into the wall when the bricks/blocks are being laid • Combats sub floor moisture and provides sufficient airflow • Fitted with BAL40 compliant (complies with Australian Standard

- AS3659: 2009 'Construction of Building in Bush fire-prone Areas') Anti-Spark 316 Stainless Steel Mesh 0.9mm diameter x 1.64mm aperture for bushfire zones
- 316 Stainless Steel durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFVAS230X76SS	STAIN. STEEL SUB FLOOR VENTS ANTI SPARK BAL40 - 230 x 76 - PUNCHED GRID	20	9 341741 019007	9 341741 019014

VENTS

# 

**Product Guide** 

G

#### **Cyclonic Post Supports**

VUETRADE Cyclonic Post Supports are U shaped anchors ideal for fixing timber posts in cyclonic or high wind areas. • Ideal for cyclonic and high wind areas • Designed for use with 12mm bolts as required in Queensland • Bolt Holes – 14mm Diameter, M12 size • Hot dipped galvanised for long life • 6.00mm thick steel for extra strength Conforms with Australian Standards AS1684.2 and AS1684.3 • Galvanised finish for durability and long-life Also available in 🔁 Stainless Steel. See page 67.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCYPS30090	300mm x 90mm	6	9 341741 006267	9 341741 006755
VCYPS300100	300mm x 100mm	6	9 341741 006250	9 341741 006748
VCYPS45090	450mm x 90mm	6	9 341741 006281	9 <sup>1</sup> 341741 006779
VCYPS450100	450mm x 100mm	6	9 341741 006274	9 341741 006762
VCYPS450115	450mm x 115mm	6	9 341741 014309	9 341741 014316
VCYPS450125	450mm x 125mm	6	9 341741 014323	9 341741 014330
VCYPS450150	450mm x 150mm	6	9 341741 015535	9 341741 015528
VCYPS60075	600mm x 75mm	6	9 341741 016013	9 341741 016020
VCYPS60090	600mm x 90mm	6	9 341741 007776	9 341741 007783
VCYPS600100	600mm x 100mm	6	9 341741 007790	9 341741 007806
VCYPS600115	600mm x 115mm	6	9 341741 014347	9 341741 014354
VCYPS600125	600mm x 125mm	6	9 341741 014361	9 341741 014378
VCYPS600140	600mm x 140mm	6	9 341741 014385	9 341741 014392
VCYPS600150	600mm x 150mm	6	9 341741 014408	9 341741 014415

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

1300 850 520

vuetrade.com

sales@bellevuegroup.com.au

73

74	<b>VUE</b> <i>TRADE</i>
	Product Guide

#### **Threaded Rod**



#### VUETRADE Threaded Rod is a timber connector ideal for tying down roof trusses in cyclone-prone regions.

- Ideal for cyclonic and high wind areas
  Available in diameters ranging from M10 to M20
- Complies with Australian Standards AS1275/DIN975 and AS1684.2
- Grade 4.6 mild steel
- Galvanised finish for durability and long-life

Also available in 🔁 Stainless Steel. See page 69.

Product Code	Size	Bundle Qty	Barcode
TRGALM10100	M10 x 1000	10	9 341741 018154
TRGALM10270	M10 x 2700	10	9 341741 018512
TRGALM10300	M10 x 3000	10	9 341741 018161
TRGALM12100	M12 x 1000	10	9 341741 018178
TRGALM12244	M12 x 2440	10	9 341741 022427
TRGALM12270	M12 x 2700	10	9 341741 018529
TRGALM12300	M12 x 3000	10	9 341741 018185
TRGALM16100	M16 x 1000	10	9 341741 018192
TRGALM16244	M16 x 2440	10	9 341741 022434
TRGALM16270	M16 x 2700	10	9 341741 022441
TRGALM16300	M16 x 3000	10	9 341741 018208
TRGALM16360	M16 x 3600	10	9 341741 022458
TRGALM20100	M20 x 1000	10	9 341741 018215
TRGALM20300	M20 x 3000	10	9 341741 018222

# **Product Guide**

#### Couplers

G

#### length of bolts or threaded rod.

- Suitable for lengthening & tensioning
- Available from M10 to M20
- Supplied in cartons of 50
- **Product Code** Size Description ROD COUPLERS GALVANISED, VCOUPGALM10 M10 VCOUPGALM12 M12 ROD COUPLERS GALVANISED, VCOUPGALM16 M16 ROD COUPLERS GALVANISED, VCOUPGALM20 M20 ROD COUPLERS GALVANISED,

#### **Hex Nuts**



#### VUETRADE Hex Nuts are multi-purpose fasteners to secure bolts and other connectors and ensure safe connections.

- Compliant with AS1112.3 • Available from M10 to M20 • Supplied in cartons of 100

Product Code	Size	Description	Ctn Qty	Barcode
VHNG0010	M10	HEX NUT GALVANISED	100	9 341741 018277
VHNG0012	M12	HEX NUT GALVANISED	100	9 <sup>1</sup> 341741 018284
VHNG0016	M16	HEX NUT GALVANISED	50	9 <sup>3</sup> 41741 <sup>0</sup> 018291
VHNG0020	M20	HEX NUT GALVANISED	20	9 341741 018307

COUPLERS & HEX NUTS

### VUETRADE Couplers are connectors ideal for extending the

Galvanised finish for durability and long-life

	Ctn Qty	Barcode
METRIC	100	9 341741 018239
METRIC	100	9 "341741"018246"
METRIC	50	9 341741 018253
METRIC	20	9 "34 174 1"0 18260"

• Galvanised finish for durability and long-life

CYCLONIC

All products are tested following	ng procedures highlighted in AS 1	720. VUETRADE products are compliant to AS 1684
1300 850 520	vuetrade.com	sales@bellevuegroup.com.au

# 76 **VUETRADE Product Guide**

#### Washers

# G

#### VUETRADE Washers are general purpose structural washers used to evenly distribute the loads of bolts or other fasteners.

- Available from M10 to M20
- Two profiles round & square
- Comply with AS1237
- Supplied in boxes of 500
- Galvanised finish for durability and long-life

Product Code	Size	Description	Outer Diameter	Thickness	Ctn Qty	Barcode
VGW0010	M10	WASHER GALVANISED	24mm	2mm	500	9 "341741"018314"
VGW0012	M12	WASHER GALVANISED	28mm	2.5mm	250	9 341741 018321
VGW0016	M16	WASHER GALVANISED	34mm	3mm	200	9 341741 018338
VGW0020	M20	WASHER GALVANISED	39mm	Зmm	150	9 341741 018345

Product Code	Size	Description	Side Length	Thickness	Ctn Qty	Barcode
VSQW3810	M10	WASHER GALVANISED SQUARE	38mm	Зmm	200	9 341741 022410
VSQW5010	M10	WASHER GALVANISED SQUARE	50mm	5mm	200	9 341741 018369
VSQW5012	M12	WASHER GALVANISED SQUARE	50mm	5mm	200	9 341741 018352
VSQW5016	M16	WASHER GALVANISED SQUARE	50mm	5mm	200	9 341741 018376
VSQW5020	M20	WASHER GALVANISED SQUARE	50mm	5mm	200	9 341741 018383

# 

**Product Guide** 

#### Heavy Duty U-Cup Bolt Down Post Supports

G

VUETRADE Heavy Duty U-Cup Bolt Down Post Supports are heavy duty anchors ideal for bolting timber posts to existing timber decking or concrete bases.

• Designed for deep timber placement • 4.0mm steel for extra strength • Galvanised finish for durability and long-life

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VHDBPS75	75mm	10	9 341741 018390	9 341741 018406
VHDBPS90	90mm	10	9 341741 006243	9 341741 006731
VHDBPS100	100mm	10	9 341741 006229	9 341741 006717
VHDBPS115	115mm	10	9 341741 018413	9 341741 018420
VHDBPS125	125mm	10	9 341741 006236	9 341741 006724
VHDBPS140	140mm	10	9 341741 018437	9 341741 018444
VHDBPS150	150mm	10	9 341741 018451	9 341741 018468

### **T-Blade Post Supports - Adjustable Leg**



VUETRADE T-Blade Post Supports with Adjustable Legs are strong, conveniently adjustable connectors ideal for fixing timber posts, by bolting onto or setting into concrete.

- Inner threaded leg for adjusting height
- Screw sizes
- 90100 & 115140 M20
- 150180 & 180200 M24
- Concealed welds between vertical and horizontal plates
- 10.0mm thick steel blade and base
- Easy install
- · Galvanised finish for durability and long-life

Product Code	Size	Thread Size	Shaft Dia.	Qty	Barcode
VHDTRTB90100	80mm x 80mm - 250mm BLADE - 10.0mm WALL	M20	40mm	1	9 "341741"018475"
VHDTRTB115140	110mm x 110mm - 275mm BLADE - 10.0mm WALL	M24	48mm	1	9 341741 018482
VHDTRTB150180	140mm x 140mm - 300mm BLADE - 10.0mm WALL	M24	48mm	1	9 341741 018499
VHDTRTB180200	180mm x 180mm - 350mm BLADE - 10.0mm WALL	M30	60mm	1	9 341741 018505

#### **Double T-Blade Post Supports**



VUETRADE Double T-Blade Post Supports are strong support solutions ideal for fixing timber posts, by bolting onto concrete or cast into concrete.

Provides 75mm min clearance required by AS3660 for termite inspection.

- Concealed welds between vertical and horizontal plates
- Use M16 bolts on both blade and base
- 10.0mm thick steel blade and base
- Easy install
- Galvanised finish for durability and long-life

Product Code	Size	Qty	Barcode
VDTB150180	140mmX140mm - 150mm BLADE - 100mmLEG - 10.0mm WALL	1	9 341741 013838
VDTB180200	180mmX180mm - 200mm BLADE - 150mmLEG - 10.0mm WALL	1	9 341741 013845

### **Product Guide Finned Blade Stirrups**

G

G



Product Code	Size	Qty	
VFTB40050	400mm x 50mm - 6.0mm WALL	10	9
VFTB60065	600mm x 65mm - 8.0mm WALL	10	9
VFTB60075	600mm x 75mm - 10.0mm WALL	10	9

# **L-Stirrup Post Supports**

concrete.

- Suitable for use with M12 bolts
- Concealed welds between vertical and horizontal plates
- Stirrups available in 450mm
- Easy install

Product Code	Size	Qty	
VLSPS7585	75mm Leg - 85mm Blade	10	9
VLSPS12585	125mm Leg - 85mm Blade	10	9
VLSPS30085	300mm Leg - 85mm Blade	10	9
VLSPS45085	450mm Leg - 85mm Blade	10	9
VLSPS300140	300mm Leg - 140mm Blade	10	9
VLSPS450140	450mm Leg - 140mm Blade	10	9

G


POST SUPPORTS

POST SUPPORTS

#### VUETRADE Finned Blade Stirrup are used with direct installation into concrete while offering a concealed finish.

Suitable for setting into concrete footings/slabs

- 6.0, 8.0, or 10.0mm thick steel extra strength
- Galvanised finish for durability and long-life




#### VUETRADE L Stirrup Post Supports are strong connectors ideal for fixing timber joists and stair stringers, setting into

• Suitable for application where horizontal timbers, commonly used for sleepers or horizontal beams

- Blades available in either 85mm or 140mm

• Galvanised finish for durability and long-life



CYCLONIC



# **Product Testing**



At VUETRADE, we have our own product testing facility, run by our in-house engineer.

This facility speeds up product development and allows us to continually test our products to ensure we're delivering consistent quality and provide reliable technical data.

Technical data sheets are available for each product through our website vuetrade.com

All product tests are run according to the relevant Australian Standards, on our MTS-SAN Universal Tensile Testing Machine. This machine is calibrated regularly according to NATA requirements, and allows us to confidently provide reliable technical data for all our customers through regular testing.

New and updated VUETRADE products are tested by our technical team to make sure each product meets the required standards and is safe for public use.



Design

Product testing ensures that the engineered products have optimum strength & quality.



**Technical** 

Our facility produces technical information for your use during installation & inspections.



Compliance

Our technical team tests our product compliance, and raises awareness about compliance issues.

# **Product Guide**

# **In-Store Merchandising**

Along with our innovation and product quality, VUETRADE's in-store merchandising offering has always been a main point of difference.

Many of our current stockists cite our merchandising as a tipping point in the decision-making around stocking the VUETRADE range.

Our merchandising offer comprises effective and aesthetic carton design, pre-planned on-shelf organisation, and the unique and complete product offering included.

VUETRADE's cartons have been carefully designed to ship, stock and display well.



range



	<u>ר</u> ש ק	
		Ľ

#### **Carton Design**

Our cartons are consistently and effectively sized, as well as being high-gloss for an aesthetic on-shelf look.

# **Planograms**

Our small, medium & large plans enable every store size to easily

# 81

The consistent carton size is not just convenient for a neat shelf; the widths were specifically designed to suit both common shelf sizes. 900mm shelf = 5 cartons & 1200mm shelf = 7 cartons.

Another key point in VUETRADE's in-store solution is the merchandising planograms designed and put into place by our helpful sales team.

VUETRADE has a complete range of Timber Connector products, adaptable to your specific needs and customers, which includes some of the most innovative products in the industry: our Value Add

MERCHANDISING



#### **Product Range**

VUETRADE's product offering is a complete solution to your needs and easily the most

82

# **Product Guide**

### **Product Index**

Adjustable Post Supports	Full Stirrup Post Supports
<b>Angle Brace</b>	- Galvanised - Stainless St
Angle Bracket - Heavy Duty	Half Stirrup Post Supports
- Galvanised 24	- Galvanised
- Stainless Steel 59	- Stainless St
Ant Caps - Galvanised	Heavy Duty Joist Straps
- Stainless Steel	Heavy Duty U-Cup Bolt Do
Anti Spark Mesh	Post Supports
- Stainless Steel	Hex Nuts
Bearer Plates	Hold Down Brackets
- Galvanised	- Galvanised
- Stainless Steel	- Stainless St
Bolt Down Post Supports	I-Beam Hangers
- Galvanised	Insul Fix Fasteners
	Internal Wall Brackets
Brick Veneer Ties R2 - Light & Medium Duty	
R3 - Light & Medium Duty	Joist Hangers - Galvanised
R4 - Light & Medium Duty	- Stainless St
Centre Blade Post Supports	Joist Straps
- Galvanised	- Galvanised
- Stainless Steel63	- Stainless St
Concealed Bolt Down Post Supports	L Stirrup Post Supports
- Galvanised	L Type HDG Bracket
Connector Plate Nails - Galvanised	Mini Grips
- Galvanisea	- Galvanised
Connector Plate Screws	- Stainless St
	Multi Grips
<b>Couplers</b> 75	- Galvanised
Cyclone Straps	- Stainless St
Cyclonic Post Supports	Pergola Angles - Galvanised
- Galvanised	- Stainless St
- Stainless Steel 67	Pin Stirrup Post Supports
Double Sleeve Expansion Ties	
- Galvanised	Plates - Heavy Duty
	- Galvanised - Stainless St
Double T-Blade Post Supports	Single Sided Stud Ties
Expansion Ties - Galvanised	-
- Stainless Steel	Split Joist Hangers - Galvanised
Fascia Brackets	- Stainless St
	Strap Nails
Finned Blade Stirrup79	Structural HDG Brackets
Flat Face Vents - Galvanised - Double Slotted	Stud Ties
- Louvred	
- Punched	- Louvred
E-II Table 10	Louinea
Foil Tacks	- Galvanised
Foil lacks         19           Frame Ties         41	- Galvanised - Punched Grid

- Stainless Steel ..... 60

alf Stirrup Post Supports 

eavy Duty U-Cup Bolt Down T-Blade Post Supports 

- ex Nuts old Down Brackets
- Galvanised ..... 23

oist Hangers 

```
oist Straps
```

```
ini Grips
    - Galvanised . . . . . . . . . . . . . . . . . . 16
    ulti Grips
    rgola Angles
               ~~
    - Galvanised . . . . . .
```

#### - Stainless Steel ...

	11 5
n Stirrup Post Supports	- Galvanised
ates - Heavy Duty - Galvanised	- Punched Builder's Strapping Strips 8 - Speed Brace
ngle Sided Stud Ties	VUESMART Strap Brace Tensioners9
olit Joist Hangers	Washers7
- Galvanised 13 - Stainless Steel 54	Z Type HDG Bracket
trap Nails19	
tructural HDG Brackets	Product Testing
tud Ties	In-Store Merchandising8
ub Floor Vents - Louvred - Galvanised	
- Ourvariised	

#### Sub Floor Vents - Anti Spark

T-Blade Post Support Adjustable Leg	78
-------------------------------------	----

- T-Blade Post Supports With Leg

  - Galvanised ..... 20

35

riple Grips	
	- Galvanised
	- Stainless Steel 54

```
- Stainless Steel ..... 57
```

- Stainless Steel ..... 49

7

#### VUEBRACE - Light Duty Strapping

22	
	- Punched Builder's Strapping
20	- Galvanised 6
	- Stainless Steel
	- Punched Builder's Strapping Strips 8
28	- Speed Brace 11
59	- Unpunched Builder's Strapping9
	VUESMART Strap Brace Tensioners9
	Washers
	wushers
13	
	Z Type HDG Bracket
	Z Type HDG Bracket
	Z Type HDG Bracket

# **Product Guide**

#### Disclaimer

All instructions detailed in Technical Data reports must be followed carefully. Modification of a VUETRADE Timber Connector or installation other than by the suggested instructions runs the risk of a non-compliant installation.

Ensure the fasteners specified in the relevant Technical Data for each VUETRADE Timber Connector are installed in accordance to any requirements set out in the Technical Data. This includes but is not limited to fastener sizes, numbers of fasteners, and corrosion protection requirements. Incorrect fixings or product placement, including misinterpretation of Timber Species with recommended joint groups, may result in failed and/or non-compliant connections.

Before installing a product, refer to the Technical Data detailed on the website www.vuetrade.com. Under no circumstances are powered or pneumatic driven tools to be used for fixing VUETRADE Timber Connector products, neither are screws deemed an alternative unless detailed clearly in the Technical Data.

Any of the above detailed changes will affect the final install's Load Capacity, which is set out in the VUETRADE product documentation. In cases where fasteners have been substituted for similar products, VUETRADE Timber Connectors are at risk of having weakened characteristic capacities and non-compliant connection/s, which may affect the overall product integrity.

Ensure that VUETRADE products are fully fastened with VUETRADE recommended fasteners before loading the given connection/s. VUETRADE will not guarantee or stand by details set out in the Technical Data should products be modified, incorrectly installed or any of the above requirements not met as made clear in the Technical Data. VUETRADE will not be held responsible for product failure in these circumstances.

- - Tap In Plates

- Stainless Steel ..... 69

Tradies' Bolt Down Post Supports .	-	-			3
------------------------------------	---	---	--	--	---


Triple Grips	
	- Galvanised 1
	- Stainless Steel

```
- Galvanised ..... 23
```

#### Ill Stirrup Post Supports - Galvanised ..... 29



83







P 1300 850 520 F 1300 830 370 E sales@bellevuegroup.com.au