



# BLACKOUT

Outstanding - without standing out!  
Black powder coated timber connector range.

# BLACKOUT

## MATTE BLACK, POWDER COATED TIMBER CONNECTORS

### POST SUPPORTS



**T-Blade & Cap**

Iconic T-Blade post support



**Cyclonic**

High wind post support for casting into concrete



**Bolt Down**

Strong post support for bolting onto concrete



**Tradies Bolt Down**

Australian Made light duty post support



**Full Stirrup**

Install by casting in or bolting down

### FRAMING CONNECTORS



**Joist Hanger**

Multipurpose hangers

### BUILDING BRACKETS



**Ultra Heavy Duty Angle**

Angle bracket commonly used for staircases



**Pergola Angle**


Beam to rafter connections



**Hold Down Bracket**

Secure tie down for wall frames

### MASONRY VENTS



**Sub Floor Vents**

Air circulation for under floor masonry walls

### VUEBOLT



**Concealed Thread Bolt**

Our unique VUEBOLT with all visible parts powder coated



### Highlight the timber, not the connector!

Our new BLACKOUT powder coated range utilises our industry proven timber connectors and coats them for a superior matte black finish for your timber project.

Along with all our other VUETRADE products, they go through our strict quality control procedures to ensure that when on-site you are not disappointed or non-compliant.

### Matte, non-gloss finish

Based on local market research, numerous conversations with on-the-ground stakeholders and trending external projects we have created the matte black, non-gloss BLACKOUT powder coated finish.

It is designed for maximum longevity and to complement a wider range of timber hues, with the confidence of our existing unchanged design of VUETRADE timber connectors.



### Compliant and Informative

Installation guides within each Technical Data Sheet (TDS) are available on each relevant product page on [vuetrade.com](http://vuetrade.com)

### Australian Made

Many of our BLACKOUT connectors are manufactured locally. Look for the green and gold kangaroo on our Australian Made connectors.



Scan here to see the full BLACKOUT range.





# BLACKOUT

## T-BLADE POST SUPPORT & CAP

### Full T-Blade System

- The all-new matte black BLACKOUT powder coating is available for the T-Blade as well as the suited Cap and VUEBOLT for a truly refined finish

### No change in design

- Know where to drill and how to cut out the slot with the powder coated post support as per our Galvanised or Stainless Steel versions

### Flexible Sizing

- The T-Blade post support suits rough sawn and varying timber sizes as the blade is concealed within the timber

### 10.0mm thick steel


- Our iconic heavy duty T-Blade is known for its strength and ability to suit a wide range of timber project styles



90 - 100mm    110 - 150mm    150 - 180mm



VBPTB90100BK    VBPTB115140BK    VBPTB150180BK



Also available in Galvanised and Stainless Steel.



Compliant with the requirements of AS1720.

+ CAPS TO SUIT EACH T-BLADE

# BLACKOUT

## JOIST HANGER

### 45 x 90mm & 45 x 140mm versions

- Covers the most common sizes for joists and beams used for Australian decks and pergolas

### Australian Made

- Locally made product that supports the manufacturing industry within Australia

### Meets and Exceeds AS1720

- The Australian Standard of Design Methods for Timber Structures

### 1.0mm thick steel

- Made out of quality G300 Z275 Pre-Galvanised and powder coated with our matte black BLACKOUT finish

### Secure with nails or screws


- VUETRADE Connector Plate nails or Screws are both suitable methods of installation, see Technical Data for more installation tips

45 x 90mm



VJH4590BK


45 x 140mm



VJH45140BK



Compliant with the requirements of AS1684 and AS1720.



Also available in Galvanised and Stainless Steel.



## CYCLONIC POST SUPPORT

### Saddle designed for casting into concrete

- Perfect for installation in high wind environments such as in cyclonic areas


### Suits 90mm timbers

- Most commonly used for decks and pergola timber posts with leg to mitigate termite activity

600 x 90mm



VCYPS60090BK



Compliant with the requirements of AS1684 and AS1720.



Also available in Galvanised and Stainless Steel.


## BOLT DOWN POST SUPPORT

### Concealed Anchoring of Timber Post

- The cap conceals anchoring bolts whilst saddle allows for easy installation of timber post

### 3.0mm thick steel


- Thicker steel for increased working loads



100mm Bolt Down



VBPS100BK



Compliant with the requirements of AS1720.



Also available in Galvanised and Stainless Steel.

## TRADIES BOLT DOWN POST SUPPORT



OPEN    CLOSED



90mm Tradies



VTBPS90BK

### Unique open or closed finish


- Choose either open option for fine adjustment and adaptability, or the closed option for a clean finish

### Local Production

- Get a quality Australian Made product suited for most lower duty applications in a superior black powder coated finish at a competitive price



Also available in Galvanised.





Compliant with the requirements of AS1720.

## FULL STIRRUP POST SUPPORT

300 x 90mm Full Stirrup



VPS30090BK



Compliant with the requirements of AS1684 and AS1720.



Also available in Galvanised and Stainless Steel.



# BLACKOUT

## PERGOLA ANGLE

92 x 68 x 36mm



VTPA36BK

### Multipurpose Building Bracket

- Sized to fit timbers for pergola use, but can also be used for rafters and beams

### Australian Made

- With local design and manufacture you support future Australian employment



Also available in Galvanised and Stainless Steel.

Compliant with the requirements of AS1684 and AS1720.

## HOLD DOWN BRACKET

### 2.0mm thick steel

- Suited for heavy duty applications, most commonly in the construction of wall studs and roof trusses, but also as a multi-purpose bracket

### Multipurpose

- Due to this brackets shape and size, it is suited for shelving and other joinery use



120 x 50 x 47mm



VTHDBBK

Also available in Galvanised and Stainless Steel.

Compliant with the requirements of AS1684 and AS1720. Designed and tested to AS1649

# BLACKOUT


## VUEBOLT

The one and only **post support bolt** that leaves a concealed dome-head finish on both sides of the timber, now available in BLACKOUT to better suit your project.

Use a pair of T50 star drive wrenches to secure, and leave a quality finish without any protrusion.

Each of the below packs come with two pairs of VUEBOLT, as per our Galvanised and 316 Grade Stainless Steel alternatives.

To learn more, search for **VUEBOLT** online.



VUEBOLT90110HDBK



VUEBOLT110150HDBK



VUEBOLT150230BK

### 90 to 230 mm

VUEBOLTS to suit all T-Blade sizes

### M12 / M16

Bolt Sizes

### T50 Star Drive

Secures all sizes of the VUEBOLT

Engineered, Tested, AS Compliant.

Also available in Galvanised and Stainless Steel.

230 x 76mm



VTSFV230X76BK

## SUB FLOOR VENT

### 230 x 76mm

- To suit the most common brick size to allow for the calculated ventilation of sub floor areas, to be installed as brickwork is conducted.

### Anti-Spark Insert Available


- To be used in areas where bushfire risk is increased and a BAL-40 compliant mesh is required as per requirements listed in AS3959.

Compliant with the requirements of NCC2022.

Also available in Galvanised and Stainless Steel.

## ULTRA HEAVY DUTY ANGLE

230 x 40 x 40mm



VTUHDA4040BK

### 2.0mm thick 304 grade steel

- Suited for environments that are frequently wetting and drying along with our new BLACKOUT matte black powder coated finish

### Multipurpose bracket

- Suitable for use in a range of installations from staircase support to shelving and other joinery applications

Also available in Stainless Steel 304.

Compliant with the requirements of AS1684 and AS1720.

[vuetrade.com/blackout](https://vuetrade.com/blackout)



As our range grows and expands, we will be regularly updating our website to match our available **BLACKOUT powder coated** range.

If you haven't signed up already, our teams regularly update and monitor our **social media** channels with how-to's, interesting facts and points of difference for both hardware stores and builders alike.

VUETRADE is quickly being known in the industry for its high-quality, clear and concise **technical information and installation steps** that are all made to be accessible from any device and anywhere.

Scan here to link to our BLACKOUT page.







POWDER COATED



GALVANISED



STAINLESS STEEL 304



CYCLONIC RANGE



BOLT ONTO CONCRETE



CAST INTO CONCRETE

**BLACKOUT**

JOIST HANGERS

HOLD DOWN BRACKET

PERGOLA ANGLE

ULTRA HEAVY DUTY ANGLE


SUB FLOOR VENT

POST SUPPORTS

VUEBOLT



Other category documents:



1300 850 520

[www.vuetrade.com](http://www.vuetrade.com)

[customercare@bellevuegroup.com.au](mailto:customercare@bellevuegroup.com.au)